



INDEX
to
Annual Reports
of the
FOREST INSECT
and
DISEASE SURVEY

1960 - 1964



Published on the authority of the Hon. Maurice Sauvé, P.C., M.P.,
Minister of Forestry Ottawa, Canada

©
ROGER DUHAMEL, F.R.S.C.
Queen's Printer and Controller of Stationery
Ottawa, 1966
Cat. No.: Fo 21-4/1960-64
ENGLISH

- Abbottana clemataria*
'62-45
- Acanthostigma parasiticum*
'62-50
- Aceria neoessigi*
'64-99
- Aceria parapopuli*
'62-96, '63-99, '64-99
- Acleris variata*
'60-11, 28, 50, 58, 85, 95, '61-12,
34, 65, 69, 84, 86, 109, '62-12, 15,
32, 61, 64, 79, 85, 113, '63-11, 14,
32, 60, 62, 83, 85, 100, 114, '64-10,
13, 30, 60, 65, 80, 89, 101, 117
- Acrobasis betulella*
'61-84, 86, '62-83, 85, '63-45
- Acronicta dactylina*
'64-89
- Acronicta fragilis*
'64-89
- Acronicta grisea*
'64-89
- Acronicta impressa*
'64-89
- Acronicta innotata*
'64-89
- Acronicta leporina*
'62-45
- Acronicta oblinita*
'61-47
- Acronicta radcliffei*
'64-45
- Acronicta spp.*
'64-86
- Acyrtosiphon caraganae*
'60-85
- Adalia conglomerata*
'61-10
- Adelges abietis*
'61-14, '63-45
- Adelges cooleyi*
'60-40, 85, 101, '61-97, 115, '62-96,
117, '63-100, '64-101
- Adelges lariciatus*
'63-100, '64-86, 89, 101
- Adelges oregonensis*
'60-101, '64-123
- Adelges piceae*
'60-9, 14, 19, 97, '61-9, 22, 37, 47,
109, '62-10, 21, 113, '63-9, 21, 119,
'64-9, 21, 43, 121
- Adelges spp.*
'61-119
- Adelges strobilobius*
'62-32
- Adelges tsugae*
'60-101
- Agathis pumila*
'60-22, 38, '61-25, 66, '62-24, 62,
'63-59
- Agria affinis*
'60-48
- Agrilus anxius*
'62-95
- Agrilus granulatus*
'63-100, '64-99
- Agrothereutes sp.*
'60-20
- Agrypon flaveolatum*
'61-31, '62-29
- Agrypon provancheri*
'63-27
- Alaska spruce beetle*
'60-98, '61-111, '62-110
- Alder flea beetle*
'60-28, 103, '61-34, '63-32, '64-30
- Alder leaf miner*
'61-14, '63-13, '64-12
- Alder sawfly*
'60-104, '61-117, '62-117

- Aleurodiscus amorphus*
'61-54
- Aleurina atrovinosa*
'63-125
- Alsophila pometaria*
'60-26, 51, 58, 72, 84, '61-31, 47, 64, 69, 83, 86, 97, '62-29, 44, 61, 64, 82, 85, 96, '63-29, 44, 60, 62, 81, 85, 100, '64-28, 46, 63, 65, 84, 89, 101
- Alternaria catalpae*
'61-76
- Alternaria* sp.
'60-42
- Altica ambiens*
'60-103
- Altica ambiens alni*
'60-28, '61-34, '62-32, '63-32, '64-13, 30
- Altica carinata*
'61-47
- Altica populi*
'60-84, '61-84, 86, '63-83, 85, '64-86, 89
- Altica* spp.
'62-117, '63-122, '64-123
- Altica ulmi*
'60-40, 57, 58, '61-67, '62-62, '63-60, '64-63, 65
- Amber-marked birch leaf miner
'62-59, '63-57, '64-61
- Amblymerus* sp.
'60-22, '61-27
- Ambrosia beetle, An
'60-56
- Ambrosia beetles
'60-99, '61-111, '62-110, '63-60, 113, '64-63, 116
- American aspen beetles
'60-85, '61-96, '62-83, '63-45, 82, 101, '64-86, 102
- Amorbia humerosana*
'63-83, 85
- Amphipyra pyramidoides*
'62-45
- Amphisphaeria* sp.
'60-44
- Anacampsis innocuella*
'60-12, '61-13, '62-14, '63-32, '64-13, 30
- Anacamptodes ephyraria*
'61-45
- Anchylopera discigerana*
'62-62, '63-60, '64-63
- Animal damage
'62-119, 120, '64-127
- Anisota rubicunda*
'60-61, '62-46, 62
- Anisota senatoria*
'60-51, 58, '61-64, 69, '62-62, 64
- Anoplonyx canadensis*
'62-83, 85, '63-85, '64-89
- Anoplonyx luteipes*
'62-83, 85, '63-83, 85, '64-13, 89
- Anoplonyx* spp.
'63-83, '64-86
- Anthostoma gastrinum*
'63-69
- Anthracnoses
'60-32, '61-18, 41, 42
— of ash '62-34, '63-34, '64-33
— of basswood '64-37
— of beech '63-34, '64-33
— of maple '62-34, '63-34, '64-33
— of oak '63-37
— of walnut '63-70
- Apanteles hyphantriae*
'60-27, '61-46
- Apanteles melanoscelus*
'61-29
- Apanteles solitarius*
'63-13

- Apanteles* sp.
'60-27, '61-33
- Aphidecta oblitterata*
'60-97, '61-110, '62-11, 113,
'63-10, 119
- Aphidoletes* sp.
'62-113
- Aphidoletes thompsoni*
'60-10, '61-10, '62-11, '63-10, 119
- Aphid on alpine fir
'64-123
- Aphrophora parallela*
'60-57, 58, '61-67, 69, '62-59, 64,
'63-58, 62, '64-63
- Apioportha anomala*
'60-66
- Apioportha apiospora*
'60-66
- Apioportha* sp.
'64-48
- Apiosporina collinsii*
'62-101, '63-90, '64-91
- Apiosporina witches' broom*
'63-90
- Apple scab
'64-49
- Aptesis basizona*
'60-53
- Aptesis indistincta*
'62-59
- Arborvitae leaf miner
'61-47
- Arceuthobium americanum*
'60-89, '61-103, '62-88, '63-90, 125
- Arceuthobium campylopodum* f. *laricis*
'60-110
- Arceuthobium campylopodum* f. *tsugensis*
'62-120
- Arceuthobium douglasii*
'61-125, '63-125
- Arceuthobium pusillum*
'60-16, 33, '61-41, '62-16, 35, 88,
'63-15, 36, 90, '64-15, 35, 63
- Archippus alberta*
'63-122
- Archips cerasivoranus*
'60-27, 40, 61, 105, '61-32, 46, 67,
84, 98, 118, '62-31, 45, 62, 98,
'63-31, 44, 60, 62, 100, '64-29, 45,
63, 65, 87, 89
- Archips clavicornis*
'64-89
- Archips fervidanus*
'61-84, '62-46, 84, 85
- Arge pectoralis*
'60-61, 64, '61-84, 86, '62-46, 84,
85, '64-89
- Arge* spp.
'64-87
- Argyresthia aureoargentella*
'62-59, 64, '63-58, 62, '64-61, 65
- Argyresthia freyella*
'63-58, '64-61
- Argyresthia laricella*
'60-28, '61-34, '62-32, '63-32
- Argyresthia* spp.
'60-57, '64-124
- Argyresthia tabulana*
'63-77, 85, 100, 122
- Argyresthia thuiella*
'61-47, '62-59, 60, 64, '63-58, 62,
'64-61, 65
- Argyrotaenia quercifolia*
'60-39, '62-46
- Argyrotaenia* sp.
'61-86
- Argyrotaenia tabulana*
'61-79, 97, '62-79, 85, 96, '64-80,
89
- Argyrotoza semipurpurana*
'60-39, 51, 58, '61-64, 69, '62-46

Armillaria mellea

'60-16, 90, 107, 109, 110, '61-74,
76, 91, 105, '62-15, 16, 37, 48, 50,
68, 87, 88, 99, 101, 121, '63-14,
68, 69, 86, 102, 125, '64-14, 48,
72, 102

Armillaria root rot

'60-16, '61-91, '62-15, 16, 37, 48,
68, 99, '63-14, 68, 102, 125, '64-14,
72, 102

Ascocalyx abietis

'61-74

Aseum atrum

'61-119

Ash rust

'60-33, '61-40, '62-34, '63-34, '64-34

Aspen Agrilus

'64-99

Aspen blotch miner

'60-52, '61-66, '62-60, '63-58, 81,
'64-45, 60, 85, 122

Aspen leaf beetle

'62-83, '63-60, 82, '64-54, 85

Aspen leaf miner

'60-83, 102, '61-34, 96, 116, '62-95,
115, '63-100, 120, '64-88, 100

Aspen webworm, An

'62-82, '63-84, '64-85

Asphyxiation

'63-47

Aspidiotus popularum

'60-85

Asterosporium hoffmani

'63-69

Atropellis canker of pine

'60-89, '61-103, '62-99, '63-102

Atropellis piniphila

'60-89, 90, '61-103, '62-99, '63-102

Aureobasidium pullulans

'61-50, '62-48

Baliosus ruber

'60-61, '62-63, '63-60, '64-63, 65

Balsam bark beetles

'61-112

Balsam bud-mining sawfly

'60-55

Balsam-fir mortality

'62-15, 68, 86, '63-86

Balsam-fir sawfly

'60-11, 20, 55, 72, '61-11, 23, 62,
80, '62-12, 22, 58, 80, '63-11, 22,
56, 78, '64-12, 22, 58, 81

Balsam gall midge

'63-13, 22

Balsam shoot-boring sawfly

'60-21, 39, '61-34, '62-22, 59,
'63-32, 58, '64-31, 60

Balsam twig aphid

'60-28, '61-34, '63-13, 32, '64-12, 31

Balsam woolly aphid

'60-9, 14, 19, 97, '61-9, 15, 22, 37,
47, 109, '62-10, 17, 21, 113, '63-9,
21, 119, '64-9, 21, 43, 121

Barbara colfaxiana

'63-121, '64-123

Bark beetles

'60-85, '61-111, '62-97, 109, '63-99,
'64-101

Bark cracking

'60-42, '63-47

Bark necrosis

'63-105

Basswood leaf miner

'63-60, '64-63

Basswood looper

'61-45, 64, '62-43, '63-44, 61, 83,
'64-44, 63

Beech bark disease

'61-40, '64-34

- Beech scale
'60-25, '61-30, 40, 47, '62-28,
'63-28, '64-27, 31
- Bessa harveyi*
'60-37, '62-29
- Biatorrella difformis*
'62-69
- Biatorrella resinae*
'60-67, '62-101
- Bifusella abietis*
'62-101, 102
- Bifusella crepidiformis*
'61-76, 103, '63-104, '64-73
- Bifusella faullii*
'64-35
- Bifusella linearis*
'62-37, 101
- Birch blotch miner
'61-117, '62-117
- Birch casebearer
'60-12, 24, '61-13, 28, '62-14, 26,
'63-13, 26, 45, '64-12, 24, 45
- Birch leaf curl
'61-17, '62-16
- Birch leaf folder, A
'63-60, '64-63
- Birch leaf miner
'60-12, 24, 53, '61-13, 28, '62-26,
'63-13, 26, 44, 61, '64-12, 25, 45,
63
- Birch leaf miner, A
'60-52
- Birch leaf-mining sawfly
'60-12, 24, '61-13, 28, '63-32,
'64-13, 31
- Birch leaf rollers
'62-116
- Birch sawfly
'61-84
- Birch scale
'64-31
- Birch skeletonizer
'60-24, 52, '61-29, 46, 61, '62-26,
44, 58, '63-26, 43, 57, 81, '64-25,
44, 55, 85, 101
- Birch tube maker
'61-84, '63-45
- Black cherry aphid
'63-45
- Black-headed budworm
'60-11, 28, 50, 95, '61-12, 34, 65,
84, 109, '62-12, 61, 79, 113, '63-11,
32, 60, 83, 100, 114, '64-30, 60,
80, 101, 117
- Black-headed jack-pine sawfly
'60-54, '61-62, '62-57, '63-57,
'64-46, 49
- Black knot of cherry
'61-18, 42, '62-35, '63-15, 35, 90,
'64-15, 37, 73
- Black pine-leaf scale
'60-103, '61-117, '64-123
- Blister beetle, A
'61-84
- Blotch miners
'63-122, '64-102
- Blue spruce sawfly
'60-28
- Blue stain
'64-49, 126
- Botryosphaeria* sp.
'64-48
- Botryosphaeria tsugae*
'64-127
- Botrytis cinerea*
'64-37
- Boxelder aphid
'63-101, '64-88, 102
- Boxelder twig borer
'60-74, '61-85, '62-82, '63-84
- Brachylomia populi*
'62-98

Brachyrhinus ovatus

'63-45, 60

Bracon pini

'60-23

Branch gall

'64-106

Bronze birch borer

'64-86

Brown cubical rot

'63-70, 90

Bruce spanworm

'60-39, 84, '61-46, 96, '62-27, 43, 95, '63-27, 44, 101, '64-25, 45, 88

Bucculatrix canadensisella

'60-24, 52, 58, '61-29, 46, 61, 69, '62-26, 44, 58, 64, '63-26, 43, 57, 62, 81, 85, '64-25, 44, 55, 65, 85, 89, 101

Bud miner

'64-124

Bud moth

'64-124

Caliciopsis pinea

'60-67, '62-121

Caliciopsis pseudotsugae

'62-121, '64-127

Caliroa cerasi

'62-32, 98, '63-32, 122, '64-124

Calligrapha verrucosa

'62-96

Callirhytis spp.

'63-32

Calosphaeria minima

'60-66

Calosoma frigidum

'64-83

Calosphaeria princeps

'60-66

Camarosporium robiniae

'63-69

Camarosporium sp.

'61-124

Camponotus pennsylvanicus

'63-13

Cankers

— of apple '63-106

— of aspen '63-104, '64-48, 49, 72, 73, 90

— of basswood '64-38

— of birch '64-74

— and dieback of balsam fir '61-41, '62-36, '63-37

— disease of Chinese elm '61-18

— of Douglas-fir '64-125

— of elm '60-79, '64-15, 106

— of fir '64-127

— of larch '61-51

— of maple '64-15, 38

— of mountain-ash '64-105

— of pine '64-37

— of poplar '64-105

— of willow '64-37, 73, 127

Capnodium pini

'63-69

Capnodium sp.

'62-121

Caragana plant bug

'63-83, '64-87

Caripeta divisata

'61-115, '62-116, '63-121

Carpenter ant

'63-13

Catkin hypertrophy

'63-35, 71, '64-15, 38

Catocala cerogama

'61-47

Caulocampus acericaulis

'63-45, '64-46

Cecidomyia reeksi

'63-60, 62, '64-63, 65

- Cedar apple rust
'64-73
- Cedar leaf miners
'63-58, '64-61
- Cenopsis pettitana* (see also *Sparganothis pettitana*)
'63-31, 45, '64-30
- Cephalosporium* sp.
'60-79, 104
- Ceratocystis dryocoetidis*
'64-127
- Ceratocystis fagacearum*
'63-65
- Ceratocystis fimbriata*
'64-48, 90
- Ceratocystis* spp.
'62-50, 111, '63-113
- Ceratocystis ulmi*
'60-32, 34, 64, '61-39, 43, 73, '62-33, 49, 66, '63-33, 48, 65, '64-32, 69
- Cherry blight
'61-41, '62-35, '63-35, '64-34
- Cherry ugly-nest caterpillar
'63-60, '64-63
- Chestnut blight
'64-73
- Chilocorus stigma*
'60-39
- Chionaspis lintneri*
'64-46
- Chlorosis of birch
'62-47
- Chlorotic spots on maple
'60-42
- Choristoneura conflictana*
'60-51, 58, 71, 84, 103, '61-82, 86, 117, '62-82, 85, 117, '63-83, 85, 101
- Choristoneura fractivittana*
'62-46
- Choristoneura fumiferana*
'60-10, 18, 29, 35, 46, 58, 62, 69, 82, 94, '61-11, 20, 35, 44, 56, 69, 71, 78, 86, 87, 93, 99, '62-13, 14, 18, 42, 54, 64, 78, 85, 92, 107, '63-12, 14, 21, 42, 53, 62, 76, 85, 96, 114, '64-11, 13, 21, 43, 54, 65, 79, 89, 97, 116
- Choristoneura pinus*
'60-49, 58, 71, '61-57, 69, 79, 86, '62-57, 64, 79, 85, '63-60, 62, 77, 85, '64-63, 65, 80, 89
- Choristoneura rosaceana*
'62-46, '63-45, '64-46
- Chrysoclista linneella*
'64-63
- Chrysomela aenicollis*
'60-84, '61-95, '62-96, '64-101
- Chrysomela alnicola*
'61-118
- Chrysomela alnicola alnicola*
'61-95, 96
- Chrysomela crotchii*
'61-83, 86, '62-83, 85, '63-60, 82, 85, 94, '64-54, 65, 85, 89
- Chrysomela falsa*
'60-13, '61-14, '62-14, '63-13, '64-13
- Chrysomela knabi*
'63-83, 85
- Chrysomela schaefferi*
'61-95, 96
- Chrysomela scripta*
'60-105
- Chrysomela semota*
'60-84, 105, '64-101
- Chrysomelid* spp.
'60-33, '61-118
- Chrysomyxa arctostaphyli*
'60-44, '61-105, 125, '62-37, 68, 69, 101, '63-36, 67, 90, 101, '64-36, 48, 73, 91, 105

- Chrysomyxa cassandrae*
'60-43, 66,
- Chrysomyxa chiogenis*
'60-44, '61-52
- Chrysomyxa empetri*
'60-43, '62-49, 101, '64-103, 105
- Chrysomyxa ledi*
'60-65, 90, '61-41, 74, 104, 106,
'62-36, 49, 67, 100, 121, '63-48, 67,
102, '64-14, 36, 47, 71, 91, 103,
105
- Chrysomyxa ledi* var. *cassandrae*
'60-43, '61-52, '64-37
- Chrysomyxa ledi* var. *groenlandici*
'61-52
- Chrysomyxa ledi* var. *ledi*
'60-43
- Chrysomyxa ledi* var. *rhododendri*
'62-121
- Chrysomyxa ledicola*
'60-43, 65, 90, '61-41, 52, 74, 104,
106, '62-36, 49, 67, 100, '63-36, 48,
67, 102, 123, '64-14, 36, 47, 71,
91, 103
- Chrysomyxa pirolata*
'60-44, 67, 90, '61-104, 106, 125,
'62-68, 88, 100, 121, '63-67, 90,
'64-37, 71, 91, 104
- Chrysomyxa* spp.
'60-33, '61-17, 41, 74, '62-16, 88,
'63-15, 88, '64-91, 124
- Chrysomyxa weirii*
'60-44, '63-102, 124, '64-37, 91
- Chrysomyxa woronini*
'60-110, '62-121, '63-102
- Chrysopeleia ostryaella*
'64-63
- Ciborinia bifrons*
'61-18
- Ciborinia foliicola*
'60-44, '61-52
- Ciborinia* sp.
'62-88, 99, 119, '63-104, 124, '64-
92, 125
- Ciborinia whetzelii*
'60-32, 64, 80, 107, '61-40, 51, 75,
'62-34, 49, 68, '63-15, 34, 48, 65,
90, '64-15, 33, 48, 69, 104, 125
- Cicada on white spruce
'60-39
- Cimbex americana*
'64-63, 87, 89
- Cinara banksiana*
'63-45
- Cinara canadensis*
'63-45
- Cinara curvipes*
'61-47
- Cinara pergandei*
'63-45
- Cladosporium* sp.
'60-43, '64-48
- Cladosporium subsessile*
'63-69, '64-73
- Clavigerus smithiae*
'62-98
- Climatic damage
'62-101
- Climbing cutworm
'64-87
- Clumping of aspen foliage
'60-91
- Coccomyces hiemalis*
'61-53, '63-35, '64-34, 73
- Coccomyces strobil*
'61-54, '62-37
- Coccophacidium pini*
'62-37
- Coeloides pissodis*
'60-23

- Coleophora fuscedinella*
'60-12, 24, '61-13, 28, '62-14, 15, 26, '63-13, 14, 26, '64-12, 13, 24, 45
- Coleophora laricella*
'60-13, 22, 38, 52, 58, 105, '61-13, 25, 66, 69, '62-14, 15, 24, 62, 64, 117, '63-13, 14, 24, 59, 62, '64-12, 13, 23, 60, 65
- Coleophora salmani*
'63-45
- Coleophora ulmifoliella*
'60-61
- Coleosporium asterum*
'60-65, '61-41, 52, 74, '62-67, 88, 100, '63-15, 37, 66, 88, 103, '64-36, 47, 70, 91, 103, 125
- Coleosporium delicatulum*
'61-54
- Coleosporium pinicola*
'62-66, '63-66, '64-70
- Coleosporium solidaginis*
'61-104
- Coleosporium* sp.
'62-66, 76
- Coleosporium viburni*
'60-44, '61-52
- Comandra blister rust*
'63-88, '64-73
- Comatrachia suksdorfii*
'60-44
- Compsilura concinnata*
'60-26, '61-46
- Compsolechia niveopulvella*
'60-74, 84, '61-97, '62-95, '63-101, '64-102
- Condition of pine
'61-104, '62-100
- Cone and seed insects
'63-121, '64-123
- Cone rusts
— of fir '64-71
— of hemlock '63-67, '64-71
— of spruce '60-44, '62-68, 100, '63-60, 90, '64-37, 71, 91, 104, 110
- Conifer sawflies
'60-101, '61-115, '62-115, '63-118, '64-120
- Coniophora kalmiae*
'62-37
- Conophthorus* sp.
'62-63, '63-60, '64-63
- Conoplea juniperi robusta*
'63-125
- Contarinia constricta*
'61-117
- Contarinia pseudotsugae*
'61-117
- Contarinia* spp.
'60-103, '61-67, 117, '62-115, '63-119, '64-121, 123
- Contarinia washingtonensis*
'63-121
- Cooley spruce gall aphid
'60-101, '61-97, 115, '63-100, '64-101
- Cordyceps militaris*
'61-113
- Corthylus punctatissimus*
'60-56, 58, '61-67, '63-45, 60, 62, '64-63, 65
- Corticium galactinum*
'60-44
- Coryneum cinereum*
'64-105
- Coryneum negundinis*
'63-37
- Corythucha arcuata*
'60-61
- Corythucha pruni*
'61-14, '62-14

- Corythucha* spp.
'61-57, '62-63, '63-60, '64-63
- Corthylus punctatissimus*
'62-63
- Corticium laeve*
'62-37
- Coryneum rhoinum*
'62-69
- Cottony maple scale
'64-46
- Cottony vine scale
'64-47
- Cremifania nigrocelluta*
'61-10
- Cristulariella depraedens*
'64-48
- Croesia semipurpurana*
'63-29, 32, 60, 62, '64-30, 63, 65
- Croesus latitarsus*
'60-13
- Cronartium cerebrum*
'61-90
- Cronartium coleosporioides*
'61-104, '63-102, 125, '64-36, 103
- Cronartium comandrae*
'60-91, '61-104, '62-101, '63-48, 88,
'64-73, 91, 103
- Cronartium comptoniae*
'61-54, 120, 123, '62-49, 120, 121,
'63-48, 67, 124, '64-72, 126
- Cronartium quercuum*
'61-41, '64-37
- Cronartium ribicola*
'60-16, 90, '61-103, 125, '62-67, 87,
99, '63-15, 37, 47, 67, 87, 102,
'64-15, 71, 91
- Cronartium* spp.
'61-75, 90
- Cryptococcus fagi*
'60-25, '61-40, 47, '62-28, '63-28,
'64-27
- Cryptodiaporthe acerinum*
'63-48
- Cryptodiaporthe densissima*
'60-67, '63-65
- Cryptodiaporthe myinda*
'60-67
- Cryptodiaporthe oxystoma*
'61-105
- Cryptodiaporthe salicina*
'60-67
- Cryptodiaporthe* sp.
'63-48
- Cryptospora cinctula*
'60-66
- Cryptosporella hypodermia*
'60-66
- Cryptosporella paucispora*
'60-65
- Cryptosporiopsis scutellata*
'63-104
- Crytosporium* sp.
'62-120, 121, '63-124
- Cucurbitothis pithyophila*
'64-127
- Cucurbitaria caraganae*
'63-90
- Cucurbitaria staphula*
'61-90, '62-87, '63-89
- Curculio, A
'64-47
- Cylindrosporium betulae*
'61-53
- Cylindrosporium irregulare*
'62-69
- Cylindrosporium salicinum*
'61-53
- Cyllene robiniae*
'60-40
- Cytospora ambiens*
'63-37

- Cytospora* canker
— of aspen '64-73
— of spruce '61-51, '62-49, '64-48
— of willow '64-73
- Cytospora chrysosperma*
'60-108, '62-86, 100, '63-37, 85,
103, '64-73, 105
- Cytospora curreyi*
'61-105
- Cytospora friesii*
'60-42, '62-36
- Cytospora pini*
'61-42
- Cytospora rubescens*
'64-105
- Cytospora salicis*
'64-37
- Cytospora* spp.
'60-107, 108, '61-74, '62-49, '63-47,
48, '64-48
- Cyzenis albicans*
'61-31, '62-29, '63-19, 27, 29, 30
- Daedalea confragosa*
'62-121
- Daedalea unicolor*
'62-121
- Dagger moths
'64-86
- Damping-off
'60-109, '63-48, '64-37
- Darlucula filum*
'60-43, 53, 109
- Dasyneura balsamicola*
'60-20, 61, '61-34, 67, '62-32, 63,
'63-13, 22, 60, 62, '64-22
- Datana integerrima*
'60-51, 58, '61-64, 69, '62-62, 64
- Datana ministra*
'60-105, '61-67, 119, '62-63, 117
- Decay
'63-125, '64-127
- Delomerista diprionis*
'60-20
- Delphinella abietis*
'64-127
- Delphinella strobiligena*
'62-69
- Dendroctonus borealis*
'60-98, '61-111, '62-97, 110, '63-99
- Dendroctonus brevicornis*
'60-98, 99, '61-111, '62-109, '64-116
- Dendroctonus engelmanni*
'60-85, 98, '61-111, '62-97, 110,
'63-99
- Dendroctonus monticolae*
'60-97, '61-111, '62-109
- Dendroctonus murrayanae*
'60-98, '61-111, '62-110
- Dendroctonus obesus*
'63-99, 110, 113, '64-101, 112, 126
- Dendroctonus ponderosae*
'63-112, '64-114
- Dendroctonus pseudotsugae*
'60-85, 97, '61-111, 121, '62-97,
108, '63-99, 111, '64-114
- Dendroctonus simplex*
'60-61, 98, '61-58, 69, '62-55, 117,
'63-99
- Dendroctonus* spp.
'60-98, '61-111, '62-109
- Dendroctonus valens*
'60-98, 99, '61-111, '63-115
- Dendrophoma tiliae*
'63-69
- Dermea balsamea*
'61-74, '62-36, 69
- Dermea padi*
'60-66
- Dermea pinicola*
'64-37
- Dermea pruinastri*
'60-66

- Dermea pruinicola*
'60-66
- Dermea* sp.
'64-125
- Deterioration of maple
'62-69, '63-69, '64-47, 69
- Deterioration of pine
'60-23
- Diapheromera femorata*
'61-67, 69, '63-60
- Diaporthe acerina*
'60-66
- Diaporthe decedens*
'63-69
- Diaporthe dubia*
'60-67
- Diaporthe eres*
'60-66
- Diaporthe leiphaemia* var. *raveniliana*
'60-67
- Diaporthe pruni*
'60-66
- Diaporthe* sp.
'62-50
- Diaporthe spiculosa*
'60-67
- Diaporthe taleola*
'60-67
- Diaporthe tessella*
'60-67
- Diaporthe tiliacea*
'63-69
- Diaporthe tuberculosa*
'60-67
- Diatrypella prominens*
'63-69
- Dibotryon morbosum*
'61-42, '62-16, 35, '63-15, 35, 90,
'64-15, 37, 73
- Dichelonyx backi*
'62-96, '63-83, 85
- Dichelonyx* sp.
'64-124
- Dichomeris marginella*
'61-34
- Didymascella thujina*
'64-48, 73
- Didymosporium arbuticola*
'62-121
- Dieback
— of balsam fir '63-14, '64-14
— of hemlock '64-127
— of mountain-ash '63-104
— of pine '64-127
— of spruce '63-125
- Dimmockia pallipes*
'61-33
- Dioryctria abietivorella*
'60-40, '63-121
- Dioryctria ponderosae*
'63-122
- Dioryctria reniculella*
'60-85, '61-84, 93, '62-15, 84, 85,
'63-14
- Dioryctria* sp.
'60-104, '61-117, '62-117, '63-118
- Dioryctria zimmermani*
'62-46
- Diplodia quercus*
'60-67
- Diplodina* sp.
'61-125
- Diplostichus hamatus*
'61-23
- Diprion frutetorum*
'60-40, '61-48, '62-63, 64, '63-57,
62, '64-63, 65
- Diprion hercyniae*
'60-11, 21, 37, 61, '61-12, 23, 45,
63, '62-13, 15, 23, 43, 63, '63-12,
14, 23, 43, 60, 62, '64-12, 13, 22,
44, 63, 65

- Diprion similis*
'60-40, 53, 58, '61-62, 69, '62-57, 64, 74, '63-52, 62, '64-58, 65
- Disease conditions in forest nurseries
'60-109
- Diseases of non-indigenous trees
'60-109, '61-123, '62-120, '63-124, '64-105
- Diseases of shelterbelts
'63-103
- Dothichiza canker
'62-69, '64-37, 73
- Dothichiza populea*
'61-54, 76, '62-69, '64-32, 73
- Dothiorella quercina*
'63-65
- Dothiorella ulmi*
'60-79
- Dothistroma pini*
'64-126
- Dotted-line looper
'63-84, '64-88
- Douglas-fir beetle
'60-97, '61-110, '62-97, 108, '63-111, '64-114
- Douglas-fir engraver
'64-123
- Douglas-fir needle midge
'63-119, '64-121
- Douglas-fir needle miners
'60-103, '61-117, '62-115
- Douglas-fir terminal damage
'60-104, '61-117
- Douglas-fir tussock moth
'61-113, '62-112, '63-115, '64-117
- Drino bohémica*
'60-37, '61-23, 24, '62-23, 43, '63-43
- Drought damage
'60-32, 91, '61-17, 39, 90, 104, 105, '62-86, 106, '63-47, 85, '64-68
- Drying of birch foliage
'60-16
- Drying of weeping willow
'60-108
- Dryocoetes-Ceratocystis* complex
'64-115, 125
- Dryocoetes confusus*
'61-98, 112, '62-111, '63-113, '64-115, 126
- Dusona pilosa*
'61-109, '62-112
- Dutch elm disease
'60-32, 34, 64, '61-39, 43, 73, '62-33, 40, 49, 66, 75, '63-33, 48, 65, '64-32, 69
- Dwarf mistletoe
— of hemlock '62-120
— of pine '60-88, 89, '61-103, '63-90
— of spruce '60-16, 33, 110, '61-22, 41, '62-16, 35, '63-15, 36, 90, '64-15, 35, 73
- Eastern dwarf mistletoe
'60-16, 33, '61-22, 41, '62-16, 35, '63-15, 36, 90, '64-15, 35, 73
- Eastern gall rust
'61-41, '62-49, 67, '63-48, 68
- Eastern hemlock looper
'60-10, 20
- Eastern spruce gall aphid
'63-45
- Eastern tent caterpillar
'60-49, '61-34, 59, 84, '62-60, '63-32, 44, 59, '64-31, 62
- Echinodontium tinctorium*
'61-105
- Ectoedemis populella*
'64-46

- Ectropis crepuscularia*
'60-96, '61-108, '62-112, '63-121
- Elaphidion parallelum*
'60-57, 59
- Elasmus atratus*
'61-33
- Elm bark beetles
'62-56
- Elm flea beetle
'60-57, '63-60, '64-63
- Elm leaf miner
'63-61, '64-63
- Elm sawfly
'64-63, 87
- Elytroderma deformans*
'60-90, 91, 107, '61-121, '62-70, 119, '63-103, 104, 123, '64-104, 125
- Enargia decolor*
'60-51, 59, '61-55, 64, 69, 84, 86, '62-61, 64, 84, 85, '63-60, 62, '64-63, 88
- Endothia parasitica*
'61-76, '62-70, '64-73
- Engelmann spruce beetle
'62-110
- Engelmann spruce weevil
'60-84, '61-111, '62-116, '64-102, 124
- Engraver beetle
'61-111, '63-122
- Ennomos magnarius*
'62-46
- Entomosporium maculatum*
'62-37
- Epicauta* sp.
'61-84
- Epilampsis laricinellae*
'60-22, 38, '61-25, '62-62
- Epinotia aceriella*
'62-46
- Epinotia nanana*
'60-39, '61-48, 67
- Epinotia nisella criddleana*
'62-60, 64, '63-58, 62, '64-60, 65, 102
- Epinotia solandriana*
'60-61, '61-55, 65, 69, '62-60, 64, '63-61, 62, '64-63, 65
- Epinotia* sp.
'63-120
- Epirrita autumnata*
'60-104
- Epirrita autumnata henshawi*
'63-45
- Erannis tiliaria*
'60-61, '61-45, 64, 69, '62-43, 63, '63-44, 60, 61, 62, 83, 85, '64-44, 63, 65, 84, 89, 99
- Erannis vancouverensis*
'60-105, '61-119, '64-124
- Eriocampa ovata*
'60-40
- Eriophid mites*
'61-98
- Eriophyes fraxiniflorae*
'64-46
- Eriosoma americanum*
'63-101, '64-87, 89, 102
- Eriosoma crataegi*
'63-45
- Eriosoma lanigerum*
'60-40, '62-46
- Erwinia amylovora*
'61-105, '62-101, '64-48, 105
- Erysiphe aggregata*
'63-35, '64-37
- Eucordylea atrupictella*
'61-65

- Eucordylea piceaella*
'61-67
- Eucosma gloriola*
'60-56, 59, '61-65, 69, '62-56, 64,
'63-55, 62, 83, 85, '64-55, 66, 87,
89
- Eucosma sonomana*
'62-117
- Eupithecia filmata*
'63-85, '64-89
- Eupithecia gibsonata*
'60-74
- Eupithecia lineata*
'63-85
- Eupithecia luteata*
'64-89
- Eupithecia palpata*
'64-89
- Eupithecia ravicostaliata*
'64-89
- Eupithecia* spp.
'63-83, '64-87
- European alder leaf miner
'61-84
- European bud moth, A
'63-61, '64-63
- European elm leaf beetle
'60-57, '62-56, 65, 83
- European fruit lecanium
'61-84
- European pear rust
'60-108
- European pine sawfly
'60-53, '61-60, 72, '62-55, '63-54,
'64-56
- European pine shoot moth
'60-12, 23, 37, 47, 104, '61-14, 28,
60, '62-25, 54, '63-13, 25, 46, 54,
117, '64-13, 24, 56, 119
- European pine twist rust
'62-119
- European spruce sawfly
'60-11, 21, 37, '61-12, 23, 45, 63,
'62-13, 23, 43, '63-12, 23, 43, 60,
'64-12, 22, 44, 63
- Eurytoma pissodis*
'60-23
- Eutypa acharii*
'64-73
- Eutypella angulosa*
'62-101
- Eutypella parasitica*
'60-65
- Euura atra*
'64-30
- Euura salicis-nodus*
'64-46
- Evagora biopes*
'63-98, '64-101
- Evagora piceaella*
'60-40
- Evagora* sp.
'60-74
- Evagora starki*
'60-85, '61-98, '63-98, '64-101
- Exenterus amictorius*
'63-43
- Exenterus* sp.
'60-37
- Exenterus vellicatus*
'61-24, '62-23
- Exeristes nubilipennis*
'60-23
- Exochus albifrons*
'60-27, '63-32
- Exochus decoratus scitulus*
'63-32
- Exoteleia dodecella*
'60-61, '61-68, '62-63, '63-61, 62,
'64-63, 66

Exoteleia pinifoliella

'60-61, '61-47, 68, '62-63, '63-61,
62, '64-46, 63, 66

Fabrella tsugae

'63-69, '64-37

Fall cankerworm

'60-26, 51, 72, 84, '61-31, 64, 83,
97, '62-29, 44, 61, 82, 96, '63-29,
44, 60, 81, 100, '64-28, 46, 63, 84,
101

Fall webworm

'60-27, 39, 49, 102, '61-14, 32, 46,
65, 84, 116, '62-31, 44, 60, 115,
'63-31, 44, 61, 83, 119, '64-30, 45,
64, 87, 121

False hemlock looper

'62-115, '64-119

False tinder fungus

'63-15

Fenestella vestita

'62-70

Fenusa dohrnii

'61-14, 68, 84, 86, '62-14, 15, 84,
85, '63-13, 14, '64-12

Fenusa pusilla

'60-12, 24, 40, 53, 59, '61-13, 28,
48, 68, '62-14, 15, 26, 46, '63-13,
14, 26, 44, 61, 62, 101, '64-12, 13,
25, 45, 63, 66

Fenusa sp.

'61-98

Fenusa ulmi

'60-61, '61-48, 68, '62-46, '63-61,
62, '64-63, 66

Feralia jocosa

'64-87, 89

Fir engraver

'60-102, '61-112, '62-111

Fire blight

'64-48, 105

Flagging of alpine fir

'63-124

Flammula alnicola

'60-79, 109, 110, '61-91

Flea beetles

'62-117, '63-83, 122, '64-86, 123

Fomes annosus

'61-124, '63-68, '64-72

Fomes everhartii

'63-69

Fomes fomentarius

'60-110, '61-105

Fomes igniarius

'60-80, '61-124, '62-88, 122, '63-15

Fomes pini

'60-91, '62-37, 122, '63-90, 104

Fomes root rot

'63-68, '64-72

Fomes roseus

'63-90

Forest tent caterpillar

'60-25, 48, 70, 77, 82, 86, 100,
'61-29, 58, 81, 89, 94, 101, 114,
'62-28, 45, 52, 72, 80, 90, 94, 105,
113, '63-28, 44, 51, 79, 97, 116,
'64-26, 51, 83, 98, 119

Frost damage

'60-31, 42, 80, '61-17, 39, 43, '62-
33, 47, 100, 118, '63-33, 46, 65,
103, '64-14, 32, 47, 90, 104

Fume damage

'61-51, '63-14, 47, 87, '64-14, 90

Fusarium lateritium

'63-70

Fusarium lateritium var. *mori*

'62-70

Fusarium solani

'61-76, '62-70

Fusarium sp.

'60-43, '64-37

- Fusicladium saliciperdatum*
'60-32, 108, '61-40, 123
- Fusicoccum abietinum*
'60-33, '61-42, '62-36, '63-36, '64-15, 37
- Galerucella decora*
'60-61, 73, '61-84, 86, 95, '62-84, 85, 96, '63-83, 85, 100, '64-86, 89, 100
- Galerucella luteola*
'61-68
- Galerucella* sp.
'62-117
- Galerucella tuberculata*
'62-63, '63-61
- Galerucella xanthomelaena*
'60-57, 59
- Gall aphids
'60-85, '62-96, '63-100, '64-86, 101
- Gall maker
'64-46
- Gall midges
'61-90, '63-22, 60, '64-22
- Gall midges on balsam fir needles
'60-20
- Ganoderma applanatum*
'60-110, '63-69
- Ganoderma applanatum* var. *brownii*
'61-125
- Gelatinosporium abietinum*
'64-14
- Gelis tenellus*
'60-20
- Geometer, A
'61-85
- Geometrid on birch, A
'62-61
- Gibbera pulchella*
'60-66
- Gibberella baccata* var. *moricola*
'62-70
- Globose gall rust
'60-90, '63-88
- Gloeosporium apocryptum*
'60-32, '61-18, 41, 53, '62-16, 34, '63-34, '64-33
- Gloeosporium aridum*
'61-42, 53, '62-34, '63-34, '64-33
- Gloeosporium betulae-luteae*
'62-49
- Gloeosporium betulicola*
'62-49
- Gloeosporium cinerascens*
'60-33
- Gloeosporium decolorans*
'61-53
- Gloeosporium fagicola*
'63-34, '64-33
- Gloeosporium quercinum*
'63-37
- Gloeosporium* sp.
'60-80, '61-53, 123, '62-122
- Gloeosporium tiliae*
'64-37
- Gnathotrichus* sp.
'60-99
- Gnomonia leptostyla*
'63-70
- Gnomonia setacea*
'60-109
- Gnomonia tiliae*
'63-37
- Gnomonia ulmea*
'61-76, '63-37, 90, '64-34
- Gnomoniella coryli*
'64-34
- Godronia abietis*
'60-66
- Gonioctena americana*
'60-74, 84, '61-68, 83, 86, 95, 96, 118, '62-83, 85, 96, 117, '63-45, 82, 85, 101, '64-86, 89, 102

- Gonioctena notmani*
'61-118, '63-122
- Gonioctena* sp.
'60-105
- Gracillaria serotinella*
'62-117
- Gracillaria* sp.
'64-102
- Gracillaria syringella*
'60-28, '61-34, '62-32, '63-32, 101,
'64-13, 31
- Gracillarid* sp.
'61-98
- Grand fir bark beetle
'62-111, '63-113
- Graphium giganteum*
'62-50
- Gray forest looper
'61-115, '62-116, '63-121
- Gray mold
'64-37
- Gray spruce tussock moth
'63-84, '64-88
- Gray willow leaf beetle
'60-73, '61-84, '62-96, '63-83, 100,
'64-86, 100
- Green-headed spruce sawfly
'60-28, '61-85, '63-46, 84
- Green larch looper
'63-101
- Green rose chafer
'63-83
- Green spruce aphid
'61-116, '62-116, '63-120, '64-122
- Green spruce leaf miner
'60-39
- Green striped forest looper
'60-96, '61-113, '63-121, '64-118
- Green striped spruce caterpillar
'64-87
- Green velvet looper
'60-104, '63-45
- Griselda radicana*
'61-65, '62-15, 108, 117, '63-14,
120, '64-13
- Guignardia populi*
'63-37, 125
- Guignardia aesculi*
'60-33, '61-40, '62-35, '63-35, '64-
34
- Gymnosporangium aurantiacum*
'64-15
- Gymnosporangium clavariiforme*
'60-108, '63-34, '64-34, 37
- Gymnosporangium clavipes*
'61-76, 105, '64-37
- Gymnosporangium corniculans*
'61-105, '63-99, '64-38
- Gymnosporangium fuscum*
'60-108, '61-54
- Gymnosporangium juniperi-virginianae*
'61-76, '64-73
- Gymnosporangium juvenescens*
'60-91
- Gymnosporangium nelsoni*
'61-105
- Gymnosporangium* sp.
'63-90, '64-92
- Gymnosporangium tubulatum*
'60-91
- Gypsy moth
'60-37, '61-46, '62-44, '63-43, '64-44
- Hail damage
'60-79, '61-50, '62-33, 69, 87, 100,
118, '63-33, 47, 89, 123, '64-47, 68
- Halisidota argentata*
'60-101, '61-115, '62-114, '63-119,
'64-121
- Halisidota maculata*
'63-83, 85, 101, '64-87, 89

- Hawthorn aphid
'63-45
- Hawthorn sawfly, A
'63-122, '64-124
- Hawthorn sawfly leaf miner
'64-46
- Hebeloma sordidulum*
'63-125
- Hemerocampa leucostigma*
'60-28
- Hemichroa crocea*
'60-27, 104, '61-33, 117, '62-63, 117, '63-32, 101, '64-13, 31
- Hemichroa* sp.
'60-85
- Hemlock looper
'60-17, 19, 20, '61-10, 16, '62-12, 18, 22, '63-10, 22, '64-11, 31
- Hendersonia pinicola*
'64-104, 127
- Heridium ramosum*
'62-101
- Heterarthrus nemoratus*
'60-12, 61, '61-13, 28, '62-115, '63-14, '64-13, 31
- Hexarthrum* sp.
'60-105
- High water damage
'61-104, '63-86, '64-105
- High water table
'64-105
- Hyalopsora aspidiotus*
'61-52
- Hyalopsora polypodii*
'63-125
- Hylobius congener*
'64-58
- Hylobius pales*
'60-56, '61-61, '63-55, '64-58, 66
- Hylobius pinicola*
'64-102
- Hylobius radialis*
'60-56, 61, 73, '61-61, 69, 84, '62-56, 57, 64, '63-55, 61, 63, '64-63, 66
- Hylobius* spp.
'60-105, '61-14, '63-101, '64-12, 13, 102
- Hylobius warreni*
'61-14, 98, '62-14, 98, '63-13
- Hylurgopinus rufipes*
'60-28, '62-56, 64, 83, 85, '63-61, 63, 83, 85, '64-31, 64, 66, 87, 89
- Hyperparasite of dwarf mistletoe
'61-103, '63-125
- Hyphantria cunea*
'60-27, 39, 49, 59, 102, '61-14, 32, 46, 65, 69, 84, 86, 116, '62-31, 44, 60, 64, 84, 85, 115, '63-31, 44, 61, 63, 83, 85, 119, '64-30, 45, 64, 66, 87, 89, 121
- Hypoderma desmazierii*
'63-37
- Hypoderma pini*
'63-104
- Hypoderma rufilabrum*
'60-66
- Hypodermella abietis-concoloris*
'61-103, '62-101
- Hypodermella ampla*
'60-43, '61-54, 76, '62-35, '63-36, 86, '64-35, 72
- Hypodermella concolor*
'63-104, '64-105
- Hypodermella laricis*
'61-121, '62-70, 119, '63-123, '64-15, 125
- Hypodermella medusa*
'60-43, '62-70
- Hypodermella mirabilis*
'61-54, 103, '63-104

- Hypodermella montana*
'60-90, '61-103
- Hypodermella montivaga*
'60-90, '63-104
- Hypodermella nervata*
'63-36, 70, 104, '64-35
- Hypodermella* sp.
'64-91
- Hyposoter fugitivus fugitivus*
'61-46
- Hypoxylon canker of poplar
'63-69, 103, '64-72, 90
- Hypoxylon mammatum*
'62-101
- Hypoxylon pruinaum*
'62-101, 121, '63-69, 103, '64-72, 90
- Hypoxylon* sp.
'63-69
- Hypoxylon vagesiacium*
'63-70
- Hyssopus benefactor*
'62-23
- Hysterographium fraxini*
'60-66
- Ice storm damage
'60-31, 41, '61-50, '62-15, 36
- Ink spot of poplar
'60-32, 64, 80, 107, '61-40, 51, 75, '62-34, 49, 68, 99, 119, '63-15, 34, 48, 65, 90, 104, 124, '64-15, 33, 48, 69, 92, 104
- Introduced pine sawfly
'60-53, '61-62, '62-57, 74, '63-56, '64-58
- Ips emarginatus*
'60-99
- Ips latidens*
'61-111, '62-110
- Ips oregoni*
'60-99, '61-119
- Ips perturbatus*
'62-97
- Ips* spp.
'61-98, '62-97, '63-122
- Isariopsis* sp.
'60-44
- Itame loricaria*
'62-84, 85, 98, '63-83, 85, '64-87, 89
- Itame loricaria julia*
'61-48, '63-101
- Itame pustularia*
'62-46
- Itonida ocellaris*
'60-40
- Itonida verrucicola*
'61-47
- Itoplectis conquisitor*
'60-48, '63-32
- Itoplectis quadricingulatus*
'61-32
- Jack-pine budworm
'60-44, 71, '61-57, 79, '62-57, 79, '63-60, 77, '64-63, 80
- Jack-pine cone beetle, A
'63-60, '64-63
- Jack-pine needle miner
'61-47, '63-61, '64-46, 63
- Jack-pine resin midge
'63-60, '64-63
- Jack-pine sawflies
'61-27, 85, '63-32, 84, '64-64, 88
- Jack-pine sawfly
'60-36
- Juniper blight
'64-74
- Juniper webworm
'61-34
- Kabatiella balsameae*
'61-42

- Keithia thujina*
'60-44, '61-52
- Kirschsteiniella thujina*
'61-54, '64-49
- Lace bug
'63-60, '64-63
- Lachnella tiliae*
'62-70
- Lachnellula chrysophthalma*
'62-101, '63-70
- Lamachus* sp.
'61-23
- Lamachus* sp. var. *ruficoxalis*
'61-23
- Lambdina fiscellaria fiscellaria*
'60-10, 20, '61-10, 22, '62-12, 15, 22, 46, '63-10, 14, 22, '64-11, 13, 31
- Lambdina fiscellaria lugubrosa*
'60-100, '61-114, '62-113, '63-115, '64-117
- Lambdina somnaria*
'60-100, '61-114
- Lapara bombycoides*
'62-46
- Larch bark beetle
'60-98
- Larch casebearer
'60-22, 38, 52, '61-13, 25, 66, '62-14, 24, 62, '63-13, 24, 59, '64-12, 23, 60
- Larch sawfly
'60-12, 15, 22, 30, 36, 47, 70, 76, 81, 87, 103, '61-12, 26, 36, 45, 57, 80, 88, 92, 100, '62-13, 24, 42, 55, 79, 89, 93, 104, 115, '63-12, 24, 42, 54, 77, 98, 118, '64-11, 23, 44, 55, 81, 98, 120
- Larch shoot moth
'60-28, '61-34, '63-32
- Larch-willow rusts
'64-92
- Larch woolly aphid
'64-123
- Large aspen tortrix
'60-51, 71, 103, '61-82, 117, '62-82, '63-83, 101
- Laricobius erichsonii*
'60-10, 19, 97, '61-10, 110, '62-11, '63-10, 119
- Laspeyresia piperana*
'64-123
- Laspeyresia youngana*
'60-104, '61-84, 86, 118, '62-116, '63-121, '64-123
- Leaf and twig blight of poplar
'60-16, 33, 65, '61-18, 40, 74, '62-34, 49, 66, 99, '63-15, 34, 48, 66, 91, 105, '64-15, 33, 48, 70, 73, 90, 106
- Leaf beetles
'60-84, 105, '61-95, '62-96, '64-124
- Leaf beetles on trembling aspen
'61-83
- Leaf blight
— of aspen '60-80
— of balsam poplar '63-48, 70, 104, '64-49, 92, 104
— of cedar '61-52, '64-73
— of willow '61-52
- Leaf blister
— of birch '64-38
— of cherry '61-18
— of maple '60-110
— of oak '60-110, '61-42, '62-49
— of poplar '60-110
- Leaf blotch of aspen
'63-125
- Leaf blotch of horse-chestnut
'60-33, '61-40, '62-35, '63-35, '64-34
- Leaf blotch miners
'63-122, '64-100, 124

- Leaf cast of Labrador-tea
'64-106
- Leaf cast of serviceberry
'63-104
- Leaf eating beetles
'61-118, '64-101
- Leaf-folding sawfly, A
'60-55, '61-63
- Leaf miner on birch, A
'60-53, '61-63
- Leaf miner of ironwood
'64-51
- Leaf roller on maple, A
'61-33, '62-31, '63-31, '64-30
- Leaf rollers
'60-25, 27, 84, 105, '61-97, '62-95,
'64-63, 88, 102
- Leaf rusts
— of alder '63-105
— of aspen '62-50, '63-104, '64-106
— of birch '62-50, '63-104, '64-38,
106
— of cottonwood '60-108
— of cranberry '64-106
— of fern '63-125
— of golden rod '63-37
— of gooseberry '63-104
— of hawthorn '63-90
— of juniper '63-90
— of mountain-ash '63-90, '64-15
— of serviceberry '63-34, 90
— of tamarack '64-106
— of willow '63-89
— of wintergreen '63-105
- Leaf scorch
'60-79, '61-39, '62-47, 69, '63-65,
'64-68
- Leaf spots
— of ash '64-92
- of aspen '60-90, '63-37, 69, 71,
90, '64-49, 92, 106,
125
- of basswood '63-37
- of birch '62-49
- of elm '61-42, '63-37, 90, '64-34
- of hazel '64-34
- of maple '62-49, '64-34, 48
- of oak '64-48
- of poplar '62-49, 99, 119, '63-
70, 105, 125, '64-73,
74, 92, 106
- of willow '64-127
- Leaf tier
'63-101, '64-102
- Lecanium cerasifex*
'64-46
- Lecanium corni*
'60-61, 74, '61-84
- Lecanium coryli*
'64-124
- Lenzites trabea*
'63-70
- Lepidoderma carestianum*
'60-44
- Lepyrus palustris*
'63-83, 85, '64-87, 89
- Leucanthiza dircella*
'60-61
- Leucopis obscura*
'62-11
- Leucostoma cincta*
'61-53, '62-70
- Leucostoma kunzei*
'62-37, '63-37
- Leucostoma persoonii*
'63-104
- Lilac leaf miner
'60-28, '61-34, '63-32, 101, '64-31
- Limenitis arthemis*
'61-48

- Limacinia alaskensis*
'64-127
- Linden bark borer
'64-63
- Linden looper
'64-84, 99
- Linden wart gall
'61-47
- Linospora tetraspora*
'61-53, '62-50, '63-48, 70, 104, '64-49, 73, 92, 104
- Lithocolletis hamadryadella*
'60-61
- Lithocolletis salicifoliella*
'60-52, 59, '61-66, 69, '62-60, 64, '63-58, 63, 81, 85, '64-60, 65, 85, 89
- Lithocolletis* spp.
'60-105, '61-118, '62-118, '64-45
- Lithophane amanda*
'64-87, 89
- Lithophane baileyi*
'64-46
- Lithophane cinerosa*
'64-46
- Lithophane innominata*
'62-46, '63-45
- Lodgepole needle miner
'60-85, '62-97, '64-124
- Lodgepole pine beetle
'60-98, '61-111, '62-110
- Lodgepole terminal weevil
'63-84, '64-102
- Long horned wood-borers
'63-122
- Loopers
'64-87, 88
- Lopadostoma turgidum*
'62-70
- Lophium mytinellum*
'60-67
- Lophodermium autumnale*
'62-102, '64-105
- Lophodermium filiforme*
'60-33, '62-35, '63-37, 104, '64-35, 105
- Lophodermium hysterioides*
'63-104
- Lophodermium juniperinum*
'64-38, 105
- Lophodermium laricinum*
'62-102
- Lophodermium macrosporum*
'62-99, 102, '64-104
- Lophodermium pinastri*
'60-90, '62-35, 102, '63-37, 90, 103, 104, '64-35, 91, 104, 126
- Lophodermium septatum*
'63-48
- Lophodermium sphaerioides*
'64-105
- Lophodermium* spp.
'63-90, 124, '64-15
- Lophodermium thujae*
'60-33
- Lopidea dakota*
'63-83, 85, '64-87, 89
- Lycogala flavo-fuscum*
'62-50
- Lyonetia saliciella*
'60-103, '61-119
- Lyonetia* spp.
'61-117, '62-117, '63-122, '64-100, 124
- Lypha dubia*
'61-31
- Lytta nuttalii*
'61-84, '62-84, 85
- Macremphytus semicornis*
'64-46
- Macrobotys thestealis*
'62-46

- Macrosiphum caraganae*
'62-98
- Macrosiphum coryli*
'63-45
- Macrophoma gall of poplar
'62-87, '63-89, '64-90
- Macrophoma sabinea*
'64-73
- Macrophoma tumefaciens*
'60-80, '61-90, 124,
'62-87, '63-89, '64-90, 106
- Magdalis lecontei*
'62-117, '64-124
- Maggot in white spruce cones, A
'62-116
- Malacosoma americanum*
'60-49, 59, '61-34, 59, 69, 84, 86,
'62-32, 60, 64, '63-32, 44, 59, 63,
'64-31, 45, 62, 66
- Malacosoma disstria*
'60-25, 48, 59, 70, 77, 82, 86, '61-
29, 48, 58, 69, 81, 86, 89, 94, 101,
114, '62-28, 45, 52, 64, 80, 84, 85,
113, '63-28, 44, 51, 63, 79, 85, 97,
116, '64-26, 45, 51, 66, 83, 89, 98,
119
- Malacosoma lutescens*
'60-85, '61-82, 86, 98, '62-82, 85,
98, '63-81, 85, 101, '64-84, 89, 102
- Malacosoma pluviale*
'60-49, 59, 85, 101, '61-60, 69, 84,
86, 98, 114, '62-61, 64, 98, 114,
'63-59, 101, 119, '64-62, 66, 102
- Malformation of Manitoba maple
'62-88, '63-89
- Mamianiella coryli*
'62-70
- Maple decline
'60-42
- Maple leaf cutter
'60-38, 56, '61-66, '62-45, '63-61,
'64-64
- Maple petiole borer
'63-45, '64-46
- Marssonina brunnea*
'62-37, 119, 122, '63-124, '64-125
- Marssonina juglandis*
'63-70
- Marssonina populi*
'64-73
- Marssonina* sp.
'60-44, '62-88, '63-90, '64-92
- Marssonina tremuloidis*
'60-90, '61-105, '62-99, '64-106
- Matsucoccus macrocitrices*
'63-45
- Mealy bug on conifers
'63-118, '64-120
- Megastigmus spermotrophus*
'63-121, '64-123
- Melampsora albertensis*
'61-122, 124, '62-119, '63-123, '64-
124
- Melampsora abietis-canadensis*
'63-67, '64-71
- Melampsora bigelowii*
'62-88, '63-89, '64-92
- Melampsora epitea*
'61-105
- Melampsora epitea abieti-caprearum*
'63-104
- Melampsora epitea ribesii-purpurea*
'63-104
- Melampsora medusae*
'60-80, '61-124, '62-50, '63-104, '64-
106
- Melampsora occidentalis*
'60-108, '61-105, '62-119, '63-103,
'64-124
- Melampsora paradoxa*
'61-105, '64-38
- Melampsora pinitorqua*
'60-107, '61-120, 121, 125, '62-119

- Melampsora populnea*
'61-122
- Melampsora* spp.
'61-124, 125, '62-100
- Melampsorella caryophyllacearum*
'61-74, 104, 124, '62-16, 37, 68,
'63-15, 36, 67, 103, 104, '64-15,
36, 74, 92
- Melampsorella cerastii*
'61-17
- Melampsoridium betulinum*
'60-109, '61-124, '62-50, 122, '63-
104, '64-38, 106
- Melampsoridium hiratsukanum*
'63-105
- Melanconis chrysostroma* var. *carpini-*
gera
'60-66
- Melanconis chrysostroma* var. *ellisii*
'60-66
- Melanconis decorahensis*
'63-70
- Melanconis everhartii*
'60-67
- Melanconis juglandis*
'63-70, '64-74
- Melanconis nigrospora*
'60-66, '63-70
- Melanconis stilbostoma*
'60-66, '63-70
- Melanconis sudans*
'63-70
- Melanconium* leaf blight
'60-80
- Melanolophia imitata*
'60-96, 100, '61-113, '62-118, '63-
121, '64-118
- Mericia ampelus*
'61-46
- Mesochorus* sp.
'61-33
- Mesoleius tenthredinis*
'60-37, '61-26
- Meteorus hyphantriae*
'61-46
- Meteorus trachynotus*
'61-57
- Microgaster canadensis*
'61-29
- Microgaster peroneae*
'61-33
- Micropera* sp.
'61-124
- Microstroma juglandis*
'60-66
- Midge, A
'64-47
- Midge damage to red pine
'60-57
- Milesia fructuosa*
'61-54
- Milesia* spp.
'61-41, '64-14, 36
- Mindarus abietinus*
'60-28, '61-34, '62-32, '63-13, 32,
'64-12, 31, 123
- Monilia geophylla*
'64-49
- Monochamus maculosus*
'61-119
- Monochamus oregonensis*
'60-99, '61-97, '62-95, 111
- Monochamus scutellatus*
'63-13
- Monochamus* spp.
'60-99, '62-95, '63-122
- Monoctenus juniperinus*
'62-63
- Mordwilkoja vagabunda*
'64-87, 89
- Morrisonia confusa*
'63-45

- Mortality of white birch
'64-14
- Mountain-ash sawfly
'60-13, 28, 54, 63, '61-14, 34, 63,
'62-59, '63-13, 32, 46, 57, '64-13,
31, 60
- Mourning-cloak butterfly
'64-85
- Mountain pine beetle
'60-97, '61-110, '62-109, '63-112,
'64-114
- Mycena leaiana*
'62-70
- Mycosphaerella populicola*
'61-53
- Mycosphaerella populorum*
'62-49, '63-70, 125
- Mycosphaerella punctiformis*
'60-109, '63-70
- Mycosphaerella* spp.
'60-109, '64-92
- Mycosphaerella ulmi*
'61-42
- Myzus cerasi*
'63-45
- Nacerdes melanura*
'63-61
- Naematoloma capnoides*
'64-127
- Napicladium tremulae*
'60-80
- Native elm bark beetle
'60-28, '62-83, '63-61, 83, '64-31,
64, 87
- Necrotic spots on conifers
'60-42
- Nectria canker and dieback
'60-44, '62-16, '63-15, 37, 90, 105,
'64-37
- Nectria cinnabarina*
'61-18, 76, '62-16, '63-15, 37, 105,
'64-15
- Nectria coccinea* var. *faginata*
'61-40, '63-28, '64-34
- Nectria episphaeria*
'62-70
- Nectria galligena*
'60-44, '63-90, '64-37
- Nectria modesta*
'62-70, '63-70
- Nectria* spp.
'60-106, 107, '61-75
- Needle blight and dieback of yew
'64-127
- Needle blights
— of cedar '64-48
— of Douglas-fir '60-106, 107, '61-
121
— of fir '64-49
— of hemlock '64-37, 48
— of pine '61-51, 121, '64-127
— of yellow pine '60-90, '61-121
- Needle cast of conifers
'60-16, 33, 43
- Needle casts
— of Douglas-fir '60-107, '61-103,
'62-119, '63-123,
'64-125
— of fir '61-103, '63-36, 70, 90,
91, 104, '64-15, 35, 91,
105, 106
— of juniper '64-38, 105
— of larch '60-107, '61-121, '62-
119, '63-123, '64-125
— of pine '60-107, '61-103, '62-
35, 119, '63-36, 37, 68,
90, 104, 123, '64-35,
72, 91, 104, 105, 125,
— of spruce '61-103, '62-35, 99,
'63-37, 48, 104, '64-
35, 73, 105, 106
- Needle collapse of pine
'62-48

Needle distortion

'60-42, '61-51

Needle miner of white pine, A

'63-61, '64-64

Needle miners of lodgepole pine

'63-98, '64-101

Needle miners on pines

'60-45

Needle rusts

— of Douglas-fir '64-124

— of fir '61-17, 41, 52, '62-36, 49, 67, '63-36, 48, 66, 88, 89, 104, '64-14, 36, 71, 103, 125

— of hemlock '63-37, 71, 124, '64-128

— of larch '62-100

— of pine '61-41, 42, 104, '62-66, 67, 100, '63-15, 37, 66, 68, 103, 123, '64-70, 91, 103, 125

— of spruce '60-80, '61-14, 17, 52, 104, '62-36, 49, 67, 100, '63-15, 36, 48, 67, 88, 102, 123, '64-71, 91, 103, 105, 127

Needle tier, A

'63-83, 122

Needle yellowing

'61-51

Nematus erythrogaster

'64-46

Nematus fulvicrus

'64-46

Nematus limbatus

'60-74, '61-13, '62-14, 15, '63-13, '64-35

Nematus popuellus

'64-46, 89

Nematus spp.

'61-63, 69, '62-63

Nematus ventralis

'62-98

Neocalcis californiaria

'61-119

Neodiprion abietis complex

'60-11, 20, 55, 59, 72, '61-11, 23, 62, 69, 80, 86, '62-12, 15, 22, 58, 64, 80, 85, '63-11, 14, 22, 56, 63, 78, 85, '64-12, 13, 22, 58, 66, 81, 89

Neodiprion compar

'64-64

Neodiprion lecontei

'60-54, 59, '61-62, 69, '62-45, 57, 64, '63-56, 63, '64-46, 58, 66

Neodiprion maurus

'61-85, '62-85, '63-84, 85, '64-89

Neodiprion nanulus nanulus

'60-23, 55, 59, '61-26, 63, 69, 86, '62-32, 58, 65, 84, 85, '63-56, 63, 84, 85, '64-59, 66, 89

Neodiprion pinetum

'61-27, '62-32

Neodiprion pratti banksianae

'60-40, 54, 59, '61-62, 70, '62-46, 57, 65, 84, 85, '63-57, 63, 84, 85, '64-46, 59, 66, 89

Neodiprion pratti paradoxicus

'61-27, 62, 70, '62-32, 58, 65, '63-32, 56, 63, '64-59, 66

Neodiprion sertifer

'60-53, 59, '61-60, 70, '62-55, 65, '63-54, 63, 84, '64-56, 66

Neodiprion spp.

'60-85, 101, '61-19, 26, 55, 85, 98, 115, '62-84, 115, '63-84, 101, 118, '64-88, 102, 120

Neodiprion swaini

'60-54, 59, '61-44, 62, 70, '62-42, 58, 65, 85, '63-42, 56, 63, '64-44, 59, 66

- Neodiprion virginianus* complex
'60-38, 54, 59, 75, '61-27, 48, 62, 70, 86, '62-32, 46, 58, 65, 84, 85, '64-59, 66, 89
- Neoleucopsis obscura*
'60-10
- Neomyzaphis abietina*
'61-116, '62-116, '63-120, '64-122
- Neopectia coulteri*
'61-105
- Neophasia menapia*
'60-99, '61-113, '62-112, '63-115, '64-117
- Nephrotoma sodalis*
'63-61
- Nepticula* spp.
'60-45, 59, 109, '61-55, 68
- Nepytia canosaria*
'62-115
- Nepytia freemani*
'63-116, '64-119
- Nepytia* sp.
'60-52
- Neurotoma inconspicua*
'61-34
- Noctuid, A
'60-51, '61-64, 84, '62-61, '64-45, 46, 63
- Northern pine weevil
'60-56, '61-61, '62-56, '63-55, '64-58
- Nothophaacidium abietinellum*
'62-70, '63-70, '64-49, 74
- Notodontidae
'60-105
- Nuculaspis californica*
'60-103, '61-117, '64-123
- Nursery pine sawfly
'63-57, '64-63
- Nuttall blister beetle
'61-84
- Nycteola cinereana*
'64-89
- Nycteola frigidana*
'64-89
- Nycteola limitaria*
'64-13
- Nycteola* sp.
'64-88
- Nymphalis antiopa*
'60-26, 73, '61-13, 32, 48, 83, 86, 118, '62-14, 15, 31, 83, 85, 98, '63-13, 14, 32, 84, 85, 101, '64-31, 85, 89
- Oak defoliators
'60-39
- Oak galls
'63-32
- Oak leaf roller, An
'61-32, '62-30, '63-30, 32, '64-29, 30
- Oak leaf tier, An
'61-34, '64-31
- Oak looper
'60-100, '61-114
- Oak twig pruner
'60-57
- Oak webworm
'61-84
- Oak wilt
'63-65
- Oblique-banded leaf roller
'63-45, '64-46
- Ocnerostoma pinariella*
'60-61
- Ocnerostoma strobivorum*
'62-63, '63-61, 63, '64-64, 66
- Odontia bicolor*
'60-109, '62-122
- Oligonychus ununguis*
'60-74, 84, 105, '61-85, 96, 118, '62-84, 85, 98, 117, '63-99, 122, '64-82, 89, 100

- Operophtera bruceata*
'60-39, 84, 105, '61-46, 96, '62-27, 43, 95, '63-27, 44, 101, '64-25, 45, 88, 89
- Operophtera brumata*
'61-30, '62-28, '63-29, 39, '64-27
- Operophtera occidentalis*
'63-122
- Ophiocordyceps clavulata*
'61-76, '62-70
- Orange-striped oakworm
'60-51, '61-64, '62-62
- Oregon fir sawyer
'60-99, '62-111
- Oregon pine engraver
'60-99
- Orgilus obscurator*
'60-38
- Orgyia antiqua*
'61-14, 98, '62-14, 15, 32, '63-14, '64-13, 88, 89
- Orgyia antiqua badia*
'60-103, '61-117, '63-120, '64-123
- Orgyia leucostigma*
'62-32, '63-31, '64-30
- Orgyia pseudotsugata*
'60-105, '61-113, '62-112, '63-115, '64-117
- Ormenis pruinosa*
'62-46
- Ortholepis pasadamia*
'62-46
- Orthosia rubescens*
'64-46
- Owlet moth, A
'63-45, 84, '64-88
- Paleacrita vernata*
'60-26, 51, 59, '61-32, 64, 70, '62-30, 62, 65, '63-30, 60, 63, '64-29, 61, 66, 84, 89
- Pales weevil
'60-56, '61-61, '64-58
- Pamphiliidae
'63-122
- Pandemis canadana*
'63-101, '64-88, 89
- Pandemis lamprosana*
'62-46, '63-45, '64-46
- Panus rudis*
'64-127
- Papilio rutulus*
'62-118
- Paraclemensia acerifoliella*
'60-38, 56, 59, '61-48, 66, 70, '62-45, 63, '63-61, 63, '64-64, 66
- Paradiplosis* spp.
'61-34, '62-32, '63-22
- Paraplinthus carinatus*
'61-119
- Pareophora minuta*
'61-68
- Parorgyia plagiata*
'63-84, 85, '64-88, 89
- Passalora bacilligera*
'61-53
- Paxillus panuoides*
'62-122
- Pear-juniper rust
'60-108
- Pear slug
'63-32
- Pediobius bucculatricis*
'62-26
- Pediobius* sp.
'61-27
- Pegohylemyia* spp.
'62-116, '64-123
- Pemphigus populi-transversus*
'62-98
- Peniophora pallidula*
'62-37

- Peniophora polygonia*
'62-102
- Peniophora pseudo-pini*
'60-88, 90, 92, '61-105
- Peniophora septentrionalis*
'64-49
- Peridermium coloradense*
'61-125
- Peridermium harknessii*
'60-43, 90, 91, '61-90, 103, 124, 125, '62-88, 122, '63-88, 102, '64-91, 105
- Peridermium holwayi*
'61-124
- Peridermium spp.*
'62-49, 67, '63-48, 68, 88, '64-73
- Peridermium stalactiforme*
'60-109, '61-90, '62-99, '63-48, 102, '64-36, 91, 103
- Peridroma margaritosa*
'64-64
- Periphyllus negundinis*
'60-85, '63-101, '64-102
- Pestalotia funerea*
'60-66
- Petrova albicapitana*
'60-39, 75, '61-67, 70, 85, 86, '62-67, 98, '63-46, 84, 85
- Petrova spp.*
'61-98, '62-98, '63-101, '64-31, 46, 88, 89, 102
- Pezicula alni*
'60-65
- Pezicula aurantiaca*
'63-70
- Pezicula carpineae*
'62-70
- Pezicula corylina*
'63-70
- Pezicula hamamelidis*
'63-70
- Pezicula ocellata*
'62-50, '63-70
- Pezicula populi*
'62-50, 70, '63-48
- Phacidium abietis*
'63-47, 70, '64-48
- Phacidium infestans*
'60-91
- Phacidium sp.*
'62-50
- Phacidium taxicola*
'64-127
- Phaeocryptopus nudus*
'64-106
- Phalonia rutilana*
'60-61
- Phenacaspis pinifoliae*
'60-13, 39, 79, 85, 103, '61-14, 81, 86, 116, '62-80, 85, 98, '63-79, 85, 101, 121, '64-82, 89, 102
- Phigalia titea*
'62-46
- Phleospora aceris*
'64-34
- Phloeosinus punctatus*
'60-102, '61-112
- Phobocampe clisiocampe*
'60-26
- Phobocampe crassiuscula*
'61-31
- Pholiota aurivella*
'60-109
- Pholiota squarrosa-adiposa*
'64-127
- Phoma infessa*
'61-76
- Phomopsis juniperovora*
'61-53, '64-74
- Phomopsis sp.*
'63-48

- Phomopsis strobil*
'63-37
- Phorocera obscura*
'61-31
- Phryxe pecosensis*
'63-44
- Phyllactinia corylea*
'63-70
- Phyllactinia guttata*
'62-122
- Phyllocnistis populiella*
'60-83, 102, '61-34, 96, 116, '62-39, 95, 115, '63-100, 120, '64-88, 89, 100, 122
- Phyllocnistis* sp.
'60-102
- Phyllophaga anxia*
'60-40
- Phyllophaga drakei*
'60-40
- Phyllophaga* spp.
'60-72, '62-84
- Phyllosticta alnea*
'62-50
- Phyllosticta apicalis*
'61-53
- Phyllosticta betulina*
'61-53
- Phyllosticta innumerabilis*
'60-44
- Phyllosticta intermixta*
'62-50
- Phyllosticta minima*
'61-53, '62-50, '64-34
- Phyllosticta negundinis*
'62-50
- Phyllosticta* spp.
'60-80, '61-53
- Physalospora glandicola*
'62-70
- Physalospora miyabeana*
'60-32, 108, '61-40, 123, '62-34, 48, 119, '63-33, 48, '64-33
- Physokermes piceae*
'62-98, '63-46, 101, '64-102
- Phytagromyza populicola*
'60-38, 61, '61-47
- Phytophaga thujae*
'63-121
- Pikonema alaskensis*
'60-11, 21, 56, 59, 73, 84, '61-12, 24, 68, 81, 86, 96, '62-13, 15, 23, 45, 64, 80, 85, 94, 118, '63-12, 14, 32, 61, 63, 79, 85, 99, '64-13, 31, 64, 67, 89, 100
- Pikonema dimmockii*
'60-13, 28, '61-85, 86, '62-14, 15, 46, 84, 85, 118, '63-14, 46, 84, 85, '64-13, 82, 89
- Pikonema* sp.
'64-82
- Pine bark aphid
'64-64
- Pine butterfly
'60-99, '61-113, '62-112, '63-115, '64-117
- Pine leaf chermes
'60-23, '61-26, '62-25, '63-24, '64-24
- Pine needle miner
'61-18, 118, '62-112, '63-116, '64-123
- Pine needle scale
'60-39, 74, 103, '61-14, 81, '62-80, '63-79, 101, 121, '64-82, 102
- Pine needle-sheath miner
'61-67, '63-61, '64-64
- Pine root collar weevil
'60-73, '61-61, 84, '62-57, '63-61, 101, '64-63, 102
- Pine sawflies
'61-26

- Pine sawyer
'60-99
- Pine spittlebug
'60-57, '61-67, '62-59, '63-58, '64-63
- Pine tip borer
'62-117
- Pine tip moth, A
'60-50, 74, '61-66, 85
- Pine tortoise scale
'61-66, 85, '63-61, 84, '64-88
- Pine tube maker
'61-97, '62-96, '63-100, 122
- Pine tube moth, A
'61-79, '62-79, '63-77, '64-80
- Pine twist rust
'60-107, '61-121, '62-119
- Pine weevils
'63-122, '64-58
- Pineus pinifoliae*
'60-23, '61-26, 47, '62-25, 96, '63-24, '64-24
- Pineus similis*
'61-115, '62-32
- Pineus strobi*
'60-40, 75, '61-48, '64-64
- Pissodes affinis*
'64-58
- Pissodes approximatus*
'60-40, 56, 60, '61-61, 70, '62-54, 56, 65, '63-55, 63, '64-58, 67
- Pissodes burkei*
'62-118
- Pissodes costatus*
'60-103
- Pissodes curriei*
'62-118
- Pissodes engelmanni*
'60-84, '61-98, '62-116, '64-102, 124
- Pissodes nigrae*
'63-61
- Pissodes schwarzi*
'60-103, '63-122
- Pissodes sitchensis*
'60-103, '61-113, '62-116, '63-121, '64-122
- Pissodes* sp.
'60-103
- Pissodes strobi*
'60-23, 56, 60, 74, '61-27, 61, 70, 85, 86, '62-25, 54, 65, 84, 85, '63-25, 46, 54, 63, 84, 85, '64-31, 57, 67, 88, 89
- Pissodes terminalis*
'61-118, '62-84, 85, 98, '63-84, 85, '64-102, 124
- Pitch nodule maker
'60-39, '61-67, 85, '63-46, 84, 101, '64-31, 46, 88, 102
- Pitted ambrosia beetle
'63-45
- Pityokteines sparsus*
'62-14, 15
- Platygaster* sp.
'61-24
- Platypus wilsoni*
'60-99
- Pleomassaria carpini*
'63-70
- Pleroneura borealis*
'60-21, 39, 55, 60, 74, '61-23, 63, 70, 85, '62-22, 59, 65, '63-32, 58, 63, '64-31, 60, 67
- Pleurophomella spermatiospora*
'62-37, '63-105
- Pleurostoma condollei*
'62-50
- Pleurotus ostreatus*
'61-105
- Plum web-spinning sawfly
'61-34

- Podosphaera clandestina*
'60-44, '64-38
- Pollaccia elegans*
'60-16, 65, '61-53, 74, '62-66, 99, 123, '63-34, 66, '64-33, 48, 70, 90, 106
- Pollaccia radiosa*
'60-16, 33, 65, '61-18, 40, 53, 74, '62-16, 34, 49, 66, 88, 99, 123, '63-15, 34, '64-15, 33, 48, 70, 90, 104
- Pollaccia saliciperda*
'64-15, 33, 70
- Polyporus adustus*
'62-37
- Polyporus albellus*
'63-70
- Polyporus balsameus*
'61-125
- Polyporus compactus*
'63-49
- Polyporus dryophilus* var. *vulpinus*
'64-49
- Polyporus hirtus*
'61-124
- Polyporus leucospongia*
'61-125
- Polyporus nidulans*
'63-70
- Polyporus obtusus*
'63-125
- Polyporus pargamensis*
'63-125
- Polyporus subcartilagineus*
'64-127
- Polyporus subchartaceus*
'62-122
- Polyporus schweinitzii*
'61-110
- Polyporus tomentosus*
'60-79, 80, '61-90, '62-50, 87, 102, '63-91
- Polyporus versicolor*
'62-37
- Polyporus zonatus*
'62-36, 37, '63-125
- Pontania bozemani*
'63-46
- Pontania* sp.
'60-75
- Poplar and willow borer
'60-100, '61-98, 112, '62-86, 97, 115
- Poplar borers
'61-97, '63-100
- Poplar bud gall-mite
'62-96, '63-99, '64-86
- Poplar flea beetle, A
'61-84
- Poplar gall mites
'64-99
- Poplar leaf-folding sawfly
'63-46
- Poplar leaf miner
'60-38, '61-47
- Poplar leaf rollers
'60-12, '61-13, 65, '62-60, '63-32, 46, 58, '64-30, 60
- Poplar sawfly
'60-38, '61-46, '62-45
- Poplar vagabond aphid
'64-87
- Poria nigrescens*
'61-125
- Poria obliqua*
'64-74
- Poria reticulata*
'62-122
- Poria subacida*
'62-122
- Porla root rot
'63-124

- Poria weirii*
'63-124
- Porthetria dispar*
'60-37, '61-46, '62-44, '63-43, '64-44
- Powdery mildew
— of alder '63-35, 70, '64-37
— of poplar '63-105
— of serviceberry '64-38
— of willow '63-91
- Prairie tent caterpillar
'61-82, '62-82, '63-81, 101, '64-84, 102
- Premature leaf coloration
'62-48
- Pristiphora erichsonii*
'60-12, 15, 22, 30, 36, 47, 60, 70, 76, 81, 103, '61-12, 26, 36, 45, 57, 70, 80, 86, 88, 92, 100, 119, '62-13, 15, 24, 42, 55, 65, 79, 85, 93, 115, '63-12, 14, 24, 42, 54, 63, 77, 85, 98, 118, '64-11, 13, 23, 44, 55, 67, 81, 89, 98, 120
- Pristiphora geniculata*
'60-13, 28, 54, 60, 63, '61-14, 34, 63, 70, '62-14, 15, 32, 59, 65, '63-13, 14, 32, 46, 57, 63, '64-13, 31, 60, 67
- Pristiphora lena*
'64-13
- Prociphilus tessellata*
'63-46
- Profenusa canadensis*
'64-46
- Profenusa thomsoni*
'60-53, 60, '61-63, 70, '62-32, 59, 65, '63-32, 57, 63, '64-31, 61, 67
- Prominents, The
'60-105
- Prosthecium stylosporium*
'63-71
- Proteoteras moffatiana*
'62-46
- Proteoteras willingana*
'60-74, '61-85, 86, '62-82, 85, '63-84, 85, '64-88, 89
- Protoboarmia porcellaria indicataria*
'63-84, 85, '64-88, 89
- Pseudexentera cressoniana*
'61-32, '62-30, '63-30, '64-29
- Pseudexentera improbana oregonana*
'60-84, 105, '61-97, '62-95, 118, '63-101
- Pseudexentera* spp.
'60-25, '64-60
- Pseudexentera* poss. *oregonana*
'64-88, 89
- Pseudohylesinus* spp.
'61-112, '62-111, '63-113
- Pseudovalsa longipes*
'60-67
- Pseudomassaria corni*
'63-71
- Psilocorsis quercicella*
'61-34, '62-32, '64-31
- Puccinia bolleyana*
'60-44, 66, '62-70
- Puccinia caracis* var. *grossulariata*
'60-67
- Puccinia coronata*
'60-80
- Puccinia linkii*
'61-54
- Puccinia sparganioides*
'60-33, '61-40, '62-34, '63-34, '64-34, 92
- Pucciniastrum abieti-chamaenerii*
'60-44, '61-52
- Pucciniastrum americanum*
'60-44, '62-122
- Pucciniastrum arcticum*
'62-122

- Pucciniastrum epilobii*
'61-52, 105, 124, '62-36, 49, 67,
'63-36, 48, 66, 89, '64-36, 71, 103,
125
- Pucciniastrum geoppertianum*
'60-44, 80, '62-122, '64-103
- Pucciniastrum pustulatum*
'60-91, '64-14
- Pucciniastrum pyrolae*
'61-105, '63-105, '64-106
- Pucciniastrum* sp.
'64-71, 127
- Pucciniastrum sparsum*
'61-105, '62-102
- Pucciniastrum vaccinii*
'60-44, '63-37, 71, 105, '64-38, 106
- Pulicalvaria thujaella*
(see also *Recurvaria thujaella*)
'63-58, 63, '64-61, 67
- Pullularia* sp.
'60-42
- Pullus impexus*
'60-10, 97, '61-10, 110, '63-119
- Pulvinaria innumerabilis*
'60-74, '64-46
- Puto cupressi*
'63-118, '64-120
- Pulvinaria vitis*
'64-47
- Pyralid* sp.
'61-98
- Pythium debaryanum*
'60-33
- Quatrianaria quaternata*
'63-71
- Rabbit damage
'61-104, '62-100
- Radulum casearium*
'62-102
- Ramularia rosae*
'61-53
- Ramularia sambucina*
'61-53
- Ramulaspera salicina*
'64-127
- Recurvaria* sp.
'64-124
- Recurvaria starki*
'62-97
- Recurvaria thujaella*
(see also *Pulicalvaria thujaella*)
'62-32, 59, 65
- Red belt
'60-91, '61-105, '62-100, 118
- Red flag of balsam fir
'60-33, '61-42, '62-36, '64-15, 37
- Red-headed jack-pine sawfly
'60-38, 54, '61-62, '62-58, '63-45,
57, '64-46, 59
- Red-headed pine sawfly
'60-54, '61-62, '62-45, 57, '63-56,
'64-46, 58
- Red heart rot
'63-90, '64-49
- Red humped caterpillar
'61-85
- Red-pine sawfly
'60-23, 55, '61-26, 63, '62-58, '63-
56, '64-59
- Red ring rot
'63-104
- Red skirt
'63-124
- Red turpentine beetle
'60-98, '63-115
- Rehmiellopsis balsameae*
'60-33, 43, '62-36, '63-37, 68, '64-
15, 37, 74
- Rehmiellopsis betulina*
'63-105
- Retinocyclus abietis*
'60-44, '61-105

- Retinocylus olivaceus*
'61-125
- Rhabdocline pseudotsugae*
'60-107, '61-103, 121, '62-119, '63-123, '64-125
- Rhabdophaga rufipes*
'64-47
- Rhabdophaga* spp.
'62-116, '63-120
- Rhabdophaga swaini*
'60-21, 57, 60, '61-24, 65, 70, '62-23, 63, '63-23, 46, '64-23
- Rheumaptera hastata*
'61-68
- Rheumaptera* spp.
'61-65, 116, '63-61, 63, 122
- Rhizina undulata*
'64-74
- Rhizoctonia solani*
'60-33
- Rhizosphaera* sp.
'63-91
- Rhopalicus pulchripennis*
'60-23
- Rhyacionia adana*
'60-50, 60, '61-68, '62-62, 65
- Rhyacionia buoliana*
'60-12, 23, 37, 47, 60, 104, '61-14, 28, 48, 60, 70, 72, 118, '62-14, 15, 25, 46, 54, 65, '63-13, 25, 46, 54, 63, 117, '64-13, 24, 56, 67, 119
- Rhyacionia busckana*
'61-66, 70, '62-62, 65
- Rhyacionia frustrana*
'60-50, '62-62, 65
- Rhyacionia* sp.
'61-85
- Rhynchinus rufipes*
'64-47
- Rhytisma acerinum*
'61-18, '62-16, '63-15, 37, '64-15, 74
- Rhytisma punctatum*
'61-18, '62-16, 49
- Rhytisma salicinum*
'60-80, '62-88, '63-15, 91, '64-15, 38, 74, 92
- Ribbed petiole gall maker
'64-46
- Root-collar weevils
'60-103
- Root rot of conifers
'60-79, '62-87, '63-91, '64-48, 74
- Root weevil
'63-13, '64-12
- Ropalopus sanguinicollis*
'60-40
- Rough-bark of poplar
'63-89
- Round-headed borer, A
'61-118
- Rust diseases
'60-80, 90
- Rusts
— of bilberry '63-105
— of castilleja '61-90
— of conifers '61-41
— of juniper '64-37, 38
— of mountain-ash '64-92
— of pine '64-74
— of serviceberry '64-34, 92
- Rusty tussock moth
'60-103, '61-14, 117, '63-120, '64-88, 123
- Rutstroemia bolaris*
'60-66
- Rutstroemia setulata*
'60-67
- Saddle-backed looper
'60-96, '61-108, '62-112, '63-121

- Salt spray
'63-37, '64-126
- Saperda calcarata*
'60-74, '61-97, '62-86, 118, '63-100
- Sap suckers
'62-50
- Sapwood rot
'63-49
- Sarcophaga aldrichi*
'60-48, '64-83
- Sarcotrochila balsamea*
'63-71
- Sarcotrochila piniperda*
'63-71, '64-106
- Satin moth
'60-12, 24, 101, '61-13, 29, 115,
'62-14, 27, 45, 114, '63-13, 27, 46,
117, '64-12, 26, 119
- Sawfly, A
'62-58, '63-56, '64-59, 88
- Sawflies
'64-46, 86, 87
- Scale insect
'64-46
- Scambus nucum*
'61-33
- Schizolachnus piniradiatae*
'63-46
- Schizura concinna*
'60-75, 105, '61-48, 85, 86, '62-63
- Schizura ipomoeae*
'62-46
- Sciaphila duplex*
'61-48, '63-46
- Scleroderris abieticola*
'63-124, '64-106
- Sclerophoma pithyophila*
'64-127
- Sclerotium* spp.
'60-90, '61-105, '64-104, 106
- Scolecnectria cucurbitula*
'62-70
- Scoliopteryx libatrix*
'61-119
- Scolytus multistriatus*
'61-67, 70, '62-56, 65, 83, '63-56,
63, '64-62, 67
- Scolytus* sp.
'61-118
- Scolytus unispinosus*
'64-123
- Scolytus ventralis*
'60-102, '61-112, '62-111
- Scymnus pumilio*
'60-97
- Seedling mortality of red pine
'62-48
- Semiothisa bicolorata*
'61-85, 86, '62-84, 85, '63-84, 85,
'64-89
- Semiothisa granitata*
'60-74, '61-85, 86, '62-85, '64-89
- Semiothisa sexmaculata*
'61-85, 86, '62-85, '63-84, 85, '64-
89
- Semiothisa* spp.
'62-118, '63-121, '64-88
- Septobasidium pinicola*
'60-67, '63-49, '64-49
- Septogloeum gillii*
'61-103, '63-125
- Septogloeum rhopaloideum*
'63-37, 71, '64-49
- Septogloeum* sp.
'60-80
- Septomyxa salicis*
'62-122
- Septomyxa tulasnei*
'61-42
- Septoria aceris*
'62-49

- Septoria betulae*
'62-49
- Septoria betulicola*
'61-53
- Septoria canker of poplar
'62-100
- Septoria musiva*
'60-80, 91, '62-71, 88, 100, '63-103, 125, '64-49, 74, 92
- Septoria populicola*
'63-105, '64-49
- Septoria* spp.
'61-53, '63-47, 91
- Sequoia pith moth
'60-104
- Serica* spp.
'60-72, '62-84
- Serpentine miners
'60-102
- Shepherd's crook on conifers
'62-48
- Shoot moth, A
'63-83, 118, '64-87
- Shot hole of cherry
'61-18, '63-35, '64-34, 73
- Silver-spotted tiger moth
'60-101, '61-115, '62-114, '63-119, '64-121
- Sitka spruce terminal damage
'61-118, '62-116, '63-120, '64-122
- Sitka spruce weevil
'60-103, '61-113, '62-116, '63-121, '64-122
- Slime flux
'63-91
- Smaller European elm bark beetle, The
'61-67, '63-56, '64-62
- Smothering disease
'63-91
- Snow blight
'62-50, '63-47, 70, 71, '64-38, 48, 74
- Snow damage
'62-118, '63-14
- Solenobia walshella*
'60-13
- Sooty mold
'63-69
- Spaelotis clandestina*
'64-13
- Sparganothis pettitana*
(see also *Cenopis pettitana*)
'60-27, '61-33
- Sparganothis sulfureana*
'61-68
- Sparganothis tristriata*
'60-74
- Spathimeigenia* sp.
'60-38
- Speckled tar spot of maple
'62-49, '64-74
- Sphaerella alni*
'60-109
- Sphaeropsis clintonii*
'60-67
- Spiny elm caterpillar
'60-26, 51, 73, '61-13, 32, 83, '62-14, 31, 83, '63-13, 32, 101, '64-31
- Spotted tussock moth
'63-83, 101, '64-87
- Spring beetle
'64-112
- Spring cankerworm
'60-26, '61-32, 64, '62-30, 62, '63-30, 60, '64-29, 61, 84
- Spruce beetle
'63-110
- Spruce beetle, A
'60-98
- Spruce bud scale
'63-46, 101, '64-102
- Spruce budmoth
'60-11, 22, 51, '61-12, 24, 65, '62-

24, 60, '63-13, 23, 61, 120, '64-31, 64

Spruce bud midge
'60-21, 57, '61-24, 65, '62-23, '63-23, 46, '64-23

Spruce budworm
'60-10, 18, 29, 35, 46, 62, 69, 82, 94, '61-20, 35, 44, 56, 71, 78, 87, 93, 99, 108, '62-13, 20, 38, 42, 54, 73, 78, 92, 103, 107, '63-12, 21, 42, 53, 76, 96, 114, '64-13, 21, 43, 54, 79, 116

Spruce coneworm
'61-84

Spruce needle miner
'64-102

Spruce sawflies
'64-82

Spruce seedworm
'60-104, '61-84, 118, '62-116

Spruce spider mite
'60-84, 105, '61-85, 96, 118, '62-98, 117, '63-99, 112, '64-82, 100

Spruce tip moth
'60-104, '61-117

Stalactiform blister rust
'62-99

Steccherinum septentrionale
'62-71, 102

Steganosporium pyriforme
'60-43, 65, '64-74

Stem and branch canker
'63-48

Stem cankers
'63-48, 125

Stem rusts
'60-43, '63-102, 125, '64-36, 37, 91, 103

Steremnius carinatus
'62-106, 111, '63-120, '64-122

Stereum chailletii
'62-15, 37

Stereum pini
'60-88, 90

Stereum purpureum
'62-36, 37

Stereum sanguinolentum
'60-80, '62-36, 37

Stereum sp.
'62-37

Sternochetus lapathi
'60-100, '61-98, 112, '62-97, 115, '63-121, '64-102, 122

Stilpnotia salicis
'60-12, 24, 101, '61-13, 29, 48, 115, '62-14, 27, 45, 114, '63-13, 14, 27, 46, 117, '64-12, 13, 26, 119

Storm damage
'64-32

Strawberry root weevil
'63-45, 60

Striped alder sawfly
'60-27, '61-33, '63-32, 101, '64-31

Strymon falacer
'62-47

Swaine jack-pine sawfly
'60-36, 54, '61-44, 62, '62-42, 58, '63-42, 56, '64-44, 59

Sweetfern blister rust
'61-123, '62-49, '63-67, '64-72

Symmerista leucitys
'62-47

Sympiesis sp.
'60-28

Taniva albolineana
'62-63, '64-102

Taphrina americana
'64-128

Taphrina bacteriosperma
'63-125

Taphrina caerulescens
'60-91, 110, '61-42, 53, '62-49

- Taphrina carnea*
'62-122
- Taphrina cerasi*
'63-35, '64-38
- Taphrina darkeri*
'60-110
- Taphrina flava*
'64-38
- Taphrina nana*
'60-91
- Taphrina populina*
'60-110, '61-53
- Taphrina robinsoniana*
'60-65, '63-35, 71, '64-15, 37, 38
- Tar spots
— of birch '63-105
— of maple '63-15, 37, '64-15, 74
— of willow '60-80, '63-15, 91,
'64-15, 38, 74, 92
- Target canker of aspen
'64-90
- Telenomus* spp.
'61-32, '63-44
- Temelucha interruptor*
'60-38
- Tent caterpillars
'64-45
- Tetralopha asperatella*
'60-74, '61-85, 86, '62-63, 82, 85,
'63-84, 85, '64-85, 89
- Tetrableps americana*
'61-10
- Tetrastichus* sp.
'62-23
- Tetropium velutinum*
'61-118
- Thelephora fimbriata*
'63-91
- Therrya fuckelii*
'61-54
- Thyronectria balsamea*
'61-74, '62-36, 87, 102, '63-86
- Tibicen canicularis*
'60-39
- Tip blight of fir
'60-43, '61-42, '62-36, '63-37, 68,
'64-15, 37, 74, 127
- Tip boring beetle
'61-118
- Tip moth, A
'60-50, '64-88
- Tip moths of pine
'62-62
- Tortricid on oak, A
'60-51, '61-64, '62-60, '63-60, '64-63
- Tortrix alleniana*
'60-61
- Tortrix pallorana*
'60-61
- Torymus* spp.
'60-22, '61-64
- Toumeyella numismaticum*
'60-74, '61-66, 85, 86, 70, '62-63,
85, '63-61, 63, 84, 85, '64-88, 89
- Trametes odora*
'60-110
- Trametes suaveolens*
'60-110, '63-125
- Trechispora brinkmanii*
'62-37
- Trichiocampus viminalis*
'61-46, '62-45, 63
- Trichiosoma* sp.
'60-85
- Trichiosoma triangulum*
'63-84, 85, '64-88, 89
- Trichogramma minutum*
'60-27

- Trichogrammatomyia tortricis*
'61-32
- Trichosphaeria parasitica*
'61-54
- Trichothecium roseum*
'60-67, 109
- Triclistus crassus*
'63-27
- Triclistus podagricus*
'61-25
- Trisetacus grosmanni*
'62-116
- Trisetacus pini*
'61-68
- Tritneptis hemerocampae*
'62-27
- Tritneptis* poss. *diprionis*
'60-20
- Trunk rot
'60-109
- Trybliopsis pinastri*
'62-37, 71, 122, '63-125
- Trypodendron lineatum*
'60-99, '61-111, '62-110, '63-113,
'64-116
- Tube makers on pines
'60-45
- Tuberculina maxima*
'64-103, 128
- Tuberculina persicina*
'60-109
- Tuberculina vulgaris*
'61-105, '62-50, '63-105, '64-38, 106
- Twig abscission
'60-79
- Twig blight
'60-80
- Twig borer in ponderosa pine, A
'63-122
- Twig weevil, A
'64-124
- Tympanis alnea*
'60-65, '61-124, '62-102
- Tympanis hypopodia*
'63-125
- Tympanis pseudotsugae*
'64-127
- Tympanis* spp.
'60-67, '61-74
- Tympanis spermatispora*
'60-44
- Ugly-nest caterpillar
'60-27, '61-32, 46, 84, '62-31, '63-31, 44, 100, '64-29, 45, 87
- Uncinula circinata*
'61-42
- Uncinula salicis*
'62-50, 123, '63-91, 105
- Uraecium holwayi*
'63-124, '64-128
- Uredinopsis* sp.
'61-41
- Valsa abietis*
'61-74, '62-36
- Valsa amphibola*
'63-71
- Valsa ceratosperma*
'62-37
- Valsa diatrypoides*
'62-71
- Valsa* spp.
'61-74, '62-71, '63-48
- Valsella salicis*
'60-67
- Variegated cutworm
'64-64
- Vasates quadripedes*
'61-48, '62-47
- Vein clearing and leaf dwarf
'63-49
- Venturia inaequalis*
'62-50, '64-49

- Venturia populina*
'61-53, 125, '62-66, 123
- Venturia tremulae*
'61-53, '62-123
- Verticillium albo-atrum*
'62-66, '63-49, '64-74
- Verticillium wilt
'63-49, '64-74
- Vespa mima sequoiae*
'60-104
- Virus
'60-109
- Walkingstick
'61-67, '63-60
- Wallrothiella arceuthobii*
'61-103, 125, '63-90
- Walnut caterpillar
'60-51, '61-64, '62-62
- Weather damage
'60-32, 78, 79, 91, 107, '61-121, '64-126
- Web makers
'64-88
- Webworm, A
'61-85
- Web-spinning sawflies
'63-122
- Weevil, A
'64-122
- Weevil in western red cedar, A
'60-105
- Weevil on ponderosa pine, A
'62-117
- Western balsam bark beetle
'61-112, '62-111, '63-113, '64-115
- Western cedar bark beetle
'60-102, '61-112
- Western false hemlock looper
'63-116
- Western gall rust
'61-124
- Western hemlock looper
'60-100, '61-114, '62-113, '63-115, '64-117
- Western pine beetle
'60-98, '64-116
- Western tent caterpillar
'60-49, 101, '61-60, 84, 114, '62-61, 114, '63-59, 101, 117, '64-62, 102, 119
- Western winter moth
'63-122
- Wharf borer, The
'63-61
- White grubs
'60-72
- White-marked tussock moth
'60-28, '63-31, '64-30
- White mottled rot
'60-110
- White pine blister rust
'61-75, '62-67, 87, 99, '63-15, 37, 47, 67, 87, '64-15, 71, 91
- White pine needle blight
'62-35, '63-35, '64-35
- White pine sawfly
'61-27
- White pine shoot borer
'60-56, '61-65, '62-56, '63-55, '64-55
- White pine weevil
'60-23, 56, 74, '61-27, 61, 85, '62-25, 54, '63-25, 46, 54, 84, '64-31, 57, 88
- White rot
'63-71
- White sap rot
'63-70
- White spongy heart rot
'63-69
- White spotted sawyer beetle
'63-13
- Willow blight
'60-32, 108, '61-23, 40, 52, '62-34, 48, 119, '63-33, 48, '64-15, 33, 70

- Willow leaf beetle
'61-14, '63-13, 61
- Willow leaf blotch miner
'60-103
- Willow sawfly
'61-13, '63-13
- Willow sawfly, A
'64-30
- Wind damage
'60-79, '61-39, 51, '62-118, 120,
'63-47
- Winter damage
'60-78, '61-105, '62-118
- Winter drying of conifers
'61-17, 39, 50, '62-33, 48, '63-14,
33, 46, 65, 86, 103, 122, '64-13,
32, 47, 68, 104
- Winter moth
'60-25, '61-30, '62-28, 39, '63-29,
'64-27, 40
- Winthemia* sp.
'61-33
- Witches' broom
— of birch '64-128
— of cherry '63-35, '64-38
— of serviceberry '64-91
— of spruce '60-110, '64-36, 48,
73, 91
- W-marked armyworm
'64-13
- Wood-borers
'61-97, '62-95
- Woodgate rust
'60-43, '61-90, 124
- Woolly alder aphid
'63-46
- Woolly aphids
'60-101
- Woolly elm aphid
'63-101, '64-87, 102
- X-disease of cherry
'61-40
- Xylococculus betulae*
'64-31
- Xylococculus* spp.
'60-17, 28, '61-34, '62-32, '63-32,
'64-31
- Yellow-headed spruce sawfly
'60-11, 21, 56, 73, 84, '61-12, 24,
81, 96, '62-13, 23, 45, 80, 94, '63-
12, 32, 61, 79, 99, '64-13, 31, 64,
100
- Yellow leaf curl
'63-125
- Yellow spruce budworm
'60-22, '61-24
- Yellowing on caragana
'60-42
- Yellow witches' broom
— of balsam fir '61-17, '62-68, '63-
15, 36, 67, 104,
'64-15, 36, 74, 92
— of spruce '61-17, '62-68, '63-36,
67, 90, 104, '64-36,
48, 73, 91, 105
- Zale duplicata largera*
'62-85, '63-84, 85, '64-88, 89
- Zeiraphera diniana*
'60-104
- Zeiraphera fortunana*
'60-22, 40, '61-24, 65, 70, '62-24,
'64-124
- Zeiraphera ratzeburgiana*
'60-11, 22, 40, 51, 60, '61-12, 24,
65, 70, '62-15, 60, 65, '63-13, 14,
23, 61, 63, '64-13, 31, 64, 67
- Zeiraphera* spp.
'61-55, 65, 70, 117, 118, '62-24,
116, '63-23, 120, '64-123
- Zelleria haimbachi*
'61-55, 67, 70, 118, '62-63, 112,
'63-61, 63, 116, '64-64, 67, 123
- Zythia resinae*
'60-44

